Unvalidated References:

This reprint of this Statutory Instrument incorporates all amendments, if any, made before 25 November 2006 and in force at 16 May 2002.

..... Legislative Counsel Dated 25 November 2006

INDEPENDENT STATE OF PAPUA NEW GUINEA.

No. 2 of 2002.

Medicines and Cosmetics Regulation 2002

PART 1 – PRELIMINARY.

1.

Interpretation. "the act" "active ingredient" "antiseptic" "batch" "clinical trial" "dosage form" "disinfectant" "poison" "shelf-life" "Good Manufacturing Practices (GMP)" "drug regulatory authority" "starting material" "applicant" "licence holder" "licensee" "prescription" "production" "registration" "dangerous drugs" "pharmacy" "prescription only medicine" "pharmacy only medicine" "over the counter products" "legal entity"

PART 2 – REGISTRATION OF MEDICINAL PRODUCTS AND DEALERS OF MEDICINAL PRODUCTS.

- 2. General Licences.
- 3. Application for Registration of a Medicinal Product.
- 4. Grant of a Medicinal Product Licence.
- 5. Application for Licence to Manufacture Medicinal Product.
- 6. Inspection before Grant or Renewal of Licence.
- 7. Conditions of Licence.
- 8. Grant of Licence to Manufacture Medicinal Product.
- 9. Application for Licence to sell Medicinal Product by Wholesale.
- 10. Grant of Licence to sell Medicinal Products by Wholesale.
- 11. Application for Licence to import Medicinal Product.
- 12. Prohibition of import of certain Medicinal Product or Cosmetic.
- 13. Conditions for Licence Holders.
- 14. Grant of an Import Licence.
- 15. Application for Licence to Export Medicinal Product.
- 16. Grant of an Export Licence.

- 17. Application for issue of a Clinical Trial Certificate.
- 18. Conditions to be satisfied for the issuance of a Clinical Trial Certificate.
- 19. Issuance of Clinical Trial Certificate.

PART 3 - STANDARDS.

- 20. Standard Provisions for a Medicinal Product Licence.
- 21. Standard Provisions for a Manufacturer's Licence.
- 22. Standard Provisions for the Wholesale Dealers Licence.
- 23. Standard Provisions for an Import Licence.
- 24. Standard Provisions for an Export Licence.
- 25. Standards for Medicinal Products, Cosmetics and Medicinal Devices.

PART 4 – PHARMACIES.

- 26. Registration of a Pharmacy.
- 27. Grant of Licence to operate a Pharmacy.
- 28. General Duties of Pharmacist.
- 29. Notice of Absence.
- 30. Inspection.
- 31. Conditions of Dispensing.
- 32. Dispensing Procedure.
- 33. Particulars of Prescriptions to be recorded in the Prescription Book.
- 34. Emergency Supply of Medicinal Products.
- 35. Prescription by Telephone.
- 36. Supplying on Medicinal Product by Pharmacist without Prescription.
- 37. Keeping of Records.
- 38. Returning of Prescriptions.
- 39. Storage of Medicinal Products.
- 40. Substitution of Medicinal Products.

PART 5 – LABELLING.

- 41. Prohibition of Sale or Distribution of Medicinal Products Unless Properly Labelled.
- 42. Labelling of Medicinal Products.
- 43. Manner of Labelling of Medicinal Product.
- 44. Labelling of Cosmetics.
- 45. Labelling of Medical Devices.
- 46. Packing of Medicinal Product.

PART 6 - ADVERTISEMENTS.

- 47. Advertisements for Medicinal Products.
- 48. Advertisements for Cosmetics.
- 49. Advertisement for Medical Devices.
- 50. Classification of Medicinal Products.

PART 7 – INSPECTION.

- 51. Qualifications of Inspectors.
- 52. Duties and Powers of Inspectors.
- 53. Prohibition of Disclosure of Information.
- 54. Taking of Samples for Testing.

PART 8 – MISCELLANEOUS.

- 55. Qualifications of Analyst.
- 56. Duties of Analyst.
- 57. Certificate of Government Analyst.
- 58. Appointing a Laboratory for Testing.
- 59. The Requirements with respect to leaflets relating to Medicinal Products.

SCHEDULE 1 – . SCHEDULE 2 – . SCHEDULE 3 – . SCHEDULE 4 – . SCHEDULE 5 – . Medicines and Cosmetics Regulation 2002

MADE by the Head of State, acting with, and in accordance with, the advice of the National Executive Council under the *Medicines and Cosmetics Act 1999*.

PART 1. – PRELIMINARY.

1. INTERPRETATION.

In these Regulations, unless the contrary intention appears -

- "the act" means Medicines and Cosmetics Act 1999;
- "active ingredient" means the therapeutically active component in a medicinal products final formulation that is responsible for its physiological or pharmacological action;
- "antiseptic" means a substance that is intended for application on the body or the mucous membranes of a person or an animal to kill or prevent the growth of a broad range of micro-organisms, and that is not represented to be suitable for internal use;
- "**batch**" A defined quantity of a starting material, packaging material, or product processed in a single process or a series of processes so that it can be expected to be homogeneous;
- "clinical trial" means any systematic study on medicinal products in human subjects, whether in patients or other volunteers, in order to discover or verify the effects of, or identify any adverse reaction to, investigational products, or to study the absorption, distribution, metabolism and excretion of the products with the object of ascertaining their efficacy and safety;
- "dosage form" means the form of the completed pharmaceutical product, such as tablet, capsule, elixir, injection, suppository and so on;
- "disinfectant" means a substance that is intended for application to inanimate objects to kill a broad range of micro-organisms, and that is not represented to be suitable for the internal use in, or dermal use on, a person or an animal;

- "**poison**" means a substance or preparation that is included in a schedule to
- the poisons standard; **"shelf-life"** means the period of time during which a drug product, if stored correctly is expected to comply with the specification as determined b
 - correctly, is expected to comply with the specification as determined b stability studies on a number of batches of the product;
- "Good Manufacturing Practices (GMP)" means the part of the Quality Assurance which, ensures that medicinal products are consistently produced and controlled to the quality standards appropriate to their intended use and the GMP's referred to are those of the World Health Organization (WHO Expert Committee on Specifications for Pharmaceutical Preparations, Thirty-second report, Geneva, World Health Organization, 1992:14-79-(WHO Technical Report Series, No. 823) with supplementary guidelines (WHO Technical Report Series, No. 863 of 1996));
- "drug regulatory authority" means the national agency responsible for the registration of, the other regulatory activities concerning, pharmaceutical products;
- "starting material" means any substance of defined quality used in the production of a pharmaceutical product, but excluding packing materials;
- "applicant" means the party applying for product certificate. The applicant is normally the product licence holder. Because certain data are confidential for commercial reasons, the competent authority in the exporting country must always obtain permission to release these data from the product-licence holder or, in the absence of a product licence, from the manufacturer;
- "licence holder" means an individual or corporate entity processing a marketing authorisation for a pharmaceutical product;
- "licensee" means an individual or corporate entity responsible for the information and publicity on, and their pharmacovigilance and surveillance of batches of, a pharmaceutical product and, if applicable, for their withdrawal, whether or not that individual or corporate entity is holder of the marketing authorisation;
- "**prescription**" means an order for a medicine or medicines usually written as a formula by a physician, dentist or veterinary surgeon that contains the names and the quantities of the desired substances, with instructions to the pharmacist for the preparation of the medicines and to the patient for the use of the medicines at a particular time;
- "production" means all the operations involved in the preparation of pharmaceutical product, from receipt of materials, through processing and packing, to completion of the finished product;

s. 1.

- "registration" means any statutory systems of approval required at national level as a precondition for introducing a pharmaceutical product on to the market;
- "dangerous drugs" means narcotic and psychotropic substances or dosage forms containing these;
- "pharmacy" means establishments that are registered as a pharmacy under the *Medicines and Cosmetics Act 1999*;
- "prescription only medicine" means a list of medicinal products that can only be dispensed or supplied by a pharmacist on a prescription issued by a medical practitioner, a dentist or a veterinary surgeon, but under the supervision of a pharmacist;
- **"pharmacy only medicine"** means a list of medicinal products that can be sold or supplied with out prescription issued by a medical practitioner, a dentist or a veterinary surgeon, but under the supervision of a pharmacist;
- "over the counter products" means a list of medicinal products that can generally be sold over the counter with the supervision of a pharmacist;
- "legal entity" means an individual or corporate entity authorised by the product license holder to import medicinal products.

PART 2. – REGISTRATION OF MEDICINAL PRODUCTS AND DEALERS OF MEDICINAL PRODUCTS.

2. GENERAL LICENCES.

(1) An application for the grant or renewal of a licence under the Act shall be in the specify Form Number prescribed in Schedule 2 to this Regulations and shall be accompanied by the appropriate fee.

(2) A product licence issued under this regulation is valid for a period of 5 years unless sooner cancelled, continue in force for a period of 1 year.

(3) All licences other than a produce license, issued under Subregulation (1) shall, unless soon cancelled, continue in force for a period of 1 year.

(4) An application for renewal of a licence shall be made either 3 months before its expiry, or within 3 months of its expiry.

(5) After payment of renewal fees, the licence shall continue to be in force until orders are passed on the application.

(6) The licence shall be deemed to have expired if the application for its renewal is not made within 3 months of its expiry.

(7) Failure to pay the renewal fees within 3 months of the expiry of the licence shall be considered as a fresh application by the licensing authority.

(8) The licensing authority shall cancel or suspend any licence issued under Division 2 of the Act, for any period, if the licensee –

- (a) fails to comply with the conditions of the licence; or
- (b) is found guilty of an offence under the Act; or
- (c) makes a request for his licence to be cancelled or suspended; or
- (d) ceases to operate or conduct the business for which the licence was issued; or
- (e) for any other reasons the licensing authority thinks reasonable to do so on the advice of the Pharmacy Board.

(9) Where a licensee ceases to operate as per the licence, the licensee shall within 14 days after ceasing surrender the original licence to the licensing authority which granted it.

3. APPLICATION FOR REGISTRATION OF A MEDICINAL PRODUCT.

An application for registration of a medicinal product shall be made in Form 6 as prescribed Schedule 2 of to these regulations.

4. GRANT OF A MEDICINAL PRODUCT LICENCE.

(1) A medicinal product license shall be issued in Form 7 as prescribed in Schedule 2 to these regulations.

(2) A medicinal produce licence issued shall be valid for a period of 5 years.

5. APPLICATION FOR LICENCE TO MANUFACTURE MEDICINAL PRODUCT.

An application for licence to manufacture a medicinal product shall be made in Form 1(b) as prescribed in Schedule 2 to these regulations.

6. INSPECTION BEFORE GRANT OR RENEWAL OF LICENCE.

(1) Before a licence under this part is granted the licensing authority shall, under the Act, appoint one or more inspectors to inspect the establishment.

(2) The inspector shall examine the premises, plant and appliances and also inspect the process of manufacture intended to be employed along with the testing procedures, enquire into the professional qualifications of the technical staff, verify statements made in the application in regard to their correctness and capability of the applicant to comply with the requirements of Good Manufacturing Practices, the requirements of plant and equipment and the requirements of maintenance of records.

7. CONDITIONS OF LICENCE.

A licence issued under this section is subject to the following conditions: -

- (a) a copy of the manufacturing licence issued shall be displayed publicly at the premises specified in the licence; and
- (b) the licensee must keep records showing
 - (i) the materials used in the manufacture of medicinal product and the supplier; and
 - (ii) quantities of the materials used and details of the tests performed on those materials; and
 - (iii) the procedures and the controls employed in the manufacture of the medicinal products, including the results of the tests performed during the processing of the medicinal products; and
 - (iv) details of tests performed on the final medicinal product and the results of those tests; and
 - (v) the stability studies, if, any, that validate the recommended shelf life and appropriate storage conditions of the medicinal products; and
- (c) the licensee shall assign a batch number to each batch of the medicinal product when the medicinal products are manufactured in identifiable batches; and

- (d) the licensee shall maintain reference samples from each batch of the medicinal product for a period as may be specified by the licensing authority; and
- (e) the licensee shall keep records of details of manufacture of each batch of medicinal products manufactured by him and such records shall be retained for a period may be specified by the licensing authority; and
- (f) the licensee shall allow an inspector authorised by the Act to enter the premises with or without prior notice and inspect the process of manufacture or testing or to inspect all the records and registers and to take samples of the medicinal product in accordance with the provisions of the Act; and
- (g) the licensee shall ensure that the persons nominated by the licence holder as having control of production and quality control are to be employed in the manufacture of medicinal product and maintain that control; and
- (*h*) the licensee shall comply with such further requirements, as may be specified by the licensing authority from time to time.

8. GRANT OF LICENCE TO MANUFACTURE MEDICINAL PRODUCT.

A licence to manufacture medicinal product shall be issued in Form 8 as prescribed in Schedule 2 to these regulations, upon satisfaction of the requirements specified in Section 21 and as confirmed on inspection by the Licensing Authority.

9. APPLICATION FOR LICENCE TO SELL MEDICINAL PRODUCT BY WHOLESALE.

(1) An application for licence to sell a medicinal product by wholesale shall be made in Form 1(b) as prescribed in Schedule 2 to these regulations.

(2) A separate application shall be made for sale of a medicinal product at more than one place.

10. GRANT OF LICENCE TO SELL MEDICINAL PRODUCTS BY WHOLESALE.

(1) A licence to sell medicinal products by wholesale shall be issued in Form 3 as prescribed in Schedule 2 to these regulations, upon satisfaction of the requirements specified in Section 22 and as confirmed on inspection by the Licensing Authority.

(2) The licence shall be valid only for medicinal products specified therein.

11. APPLICATION FOR LICENCE TO IMPORT MEDICINAL PRODUCT.

(1) An application for licence to import medicinal product shall be made in Form 1(b) as prescribed in Schedule 2 to these regulations.

(2) Before granting an import licence the licensing authority shall take into considerations –

- (a) whether the medicinal product for which an import application is being made is registered with the licensing authority; and
- (b) the premises, in which the imported medicinal product will be stocked; and
- (c) the occupation, trade or business ordinarily carried out by the applicant; and
- (d) valid business registration issue by the Investment Promotion Authority.

12. PROHIBITION OF IMPORT OF CERTAIN MEDICINAL PRODUCT OR COSMETIC.

From such date as may be fixed by the Minister by notification in the National Gazette relating to any prohibition of import, no person shall import –

- (a) any medicinal product or cosmetic which is not of standard qualify; or
- (b) any misbranded medicinal product or misbranded cosmetic; or
- (c) any medicinal product without a medicinal product license.

13. CONDITIONS FOR LICENCE HOLDERS.

An import licence shall be subject to the following conditions: -

- (a) the manufacturer shall at all times observe the undertaking given by him; and
- (b) the licensee shall allow any inspector authorised by the licensing authority in that behalf to enter with or without notice any premises where the imported medicinal product is stocked, to inspect the means if any, employed for testing the medicinal product and to take samples; and
- (c) if any samples are found by the licensing authority not to conform to the standards of strength, quality and purity, the licensee shall immediately withdraw the remainder of the batch from sale and recall the issues already made from that batch; and
- (d) the licensee shall record all sales by him of medicinal products, the import of which a licence is required, showing all the particulars of sales; and
- (e) the licensee shall comply with such further requirements, if any, applicable to the holders of import licences, as may be specified by the licensing authority from time to time.

14. GRANT OF AN IMPORT LICENCE.

(1) A licence to import a medicinal product shall be issued in Form 4 as prescribed in Schedule 2 to these regulations, upon satisfaction of the requirements specified in Section 23 and as confirmed on inspection by the Licensing Authority.

(2) A licence issued under Subsection (1) shall be valid only for medicinal products specified therein.

15. APPLICATION FOR LICENCE TO EXPORT MEDICINAL PRODUCT.

An application for licence to export a medicinal product shall be made in Form 1(b) as prescribed in Schedule 2 to these regulations.

16. GRANT OF AN EXPORT LICENCE.

(1) A licence to export a medicinal product shall be issued in Form 5 as prescribed in Schedule 2 to these regulations, upon satisfaction of the requirements specified in Section 24 and as confirmed on inspection by the Licensing Authority.

(2) A licence issued under Subsection 1 shall be valid only for medicinal products specified therein.

17. APPLICATION FOR ISSUE OF A CLINICAL TRIAL CERTIFICATE.

An application for issue of a clinical trial certificate shall be made in Form 9 as prescribed in Schedule 2 to these regulations.

18. CONDITIONS TO BE SATISFIED FOR THE ISSUANCE OF A CLINICAL TRIAL CERTIFICATE.

(1) Approval of applications for clinical trials shall be based on the requirements of the Guidelines for good clinical practice (GCP) for trials on pharmaceutical products (World Health Organization, 1995, Technical Report Series No. 850);

(2) An application for issue of a clinical trials certificate shall include: -

- (a) the name, dose and administration of the medicine, its nature and its chemical formula; and
- (b) the purpose of the trial; and
- (c) the names and qualifications of the investigators who will conduct the trial; and
- (d) a written consent to nomination from each of the investigators; and
- (e) a copy of the information supplied to the investigators, particularly in relation to the safe use of the medicinal product; and
- (f) a protocol of the trial setting out -
 - (i) the number of patients to be involved; and

- (ii) the form that the trial is to take, and the nature of the records to be kept; and
- (iii) the person or classes of persons (if any) who are to be specially excluded from the trial; and
- (iv) any special measures proposed to be taken to ensure the safety of the patients; and
- (g) ethical clearance of the trial protocol by an independent Ethics Committee for Biomedical Research Involving Human Subjects or other equivalent committee; and
- (*h*) information about the medication(s) and the trial which will be provided to the patient(s) or volunteer(s); and
- (*i*) information on how patient's or volunteers consent will be obtained; and
- (*j*) the names and addresses of the institutions or laboratories where the medicinal product will be used by approved persons, and a description of the facilities that will be available to those persons.

(3) The licensing authority shall determine every application for its approval under this section within 60 days after receipt of the application and shall notify the applicant of its decision and where it declines the application the reasons for its decision.

(4) At any time after a clinical trial has been approved by the licensing authority, the applicant may apply to the licensing authority for the approval of an investigator, not withstanding that the name of that person did not appear in the application for approval of the clinical trial.

(5) The licensing authority may at any time, by notice in writing given to an applicant, require the applicant to supply such further information and particulars as it thinks appropriate relating to a clinical trial or to identity and qualifications of an investigator.

(6) The distribution of any medicinal product under this section shall be subject to the following conditions:-

- (a) the licensing authority shall be informed, before the medicinal product is so distributed, of the identifying name or mark by which it may be recognised; and
- (b) every label on every package or container of the medicinal product shall bear the words "to be used by qualified investigators only"; and
- (c) the importer or manufacturer shall before so distributing the medicinal product, take all the reasonable steps to ensure that every person to whom it is supplied is approved under this section as a registered pharmacist to carry out and has available the necessary facilities for the trial to be conducted by him, and the medicinal product shall be used solely by that person or under his direction for the purposes of the trial; and

- (d) the importer or manufacturer shall
 - (i) keep complete and accurate records of all quantities of the medicinal product supplied under this section; and

s. 19.

- (ii) keep the licensing authority informed of the progress of the trial by 6 monthly reports; and
- (iii) supply to the licensing authority a copy of the results of the trial on its completion.

(7) The licensing authority may at any time, by notice in writing to the applicant, revoke or suspend his approval of a clinical trial.

19. ISSUANCE OF CLINICAL TRIAL CERTIFICATE.

A clinical trial certificate shall be issued in Form 10 as prescribed in Schedule 2 to these regulations.

PART 3. – STANDARDS.

20. STANDARD PROVISIONS FOR A MEDICINAL PRODUCT LICENCE.

(1) A licence holder shall report to the licensing authority any changes in his name or address or that of the company to which the licence relates.

(2) A licence holder shall inform the licensing authority of any material change that has been made or that he proposes to make in the particulars contained in his application relating to the -

- (a) specification of the medicinal product; and
- (b) composition of the medicinal product; and
- (c) method of manufacture for the medicinal product; and
- (d) storage conditions for the medicinal product; and
- (e) indications for the medicinal product.

(3) A licence holder shall report to the licensing authority –

- (a) changes on the validity of data which may affect the safety, quality and efficacy of the medicinal product to which the licence relates; and
- (b) any serious adverse drug reactions; and
- (c) any batch which does not conform to the specification of the medicinal product.

(4) A licence holder shall recall any defective or unsafe medicinal product to which the licence relates, from the market, and stop its sale and distribution.

(5) A licence holder shall state the medicinal product licence number designated by the licensing authority on the label and package of the medicinal product.

(6) A licence holder shall return the original copy of the licence to the licensing authority within 7 days after the licence has been suspended or revoked.

(7) A licence holder shall undertake to arrange for such tests as may be directed by the licensing authority and shall submit samples for testing if so requested by the licensing authority.

(8) A licence holder shall keep and maintain records as prescribed by the licensing authority.

21. STANDARD PROVISIONS FOR A MANUFACTURER'S LICENCE.

(1) Before a licence in Form 8 of Schedule 2 of these regulations is granted, an applicant shall comply with conditions –

(a) the manufacture shall be conducted under the active direction and personal supervision of competent technical staff whose education should include the study of an appropriate combination of pharmaceutical sciences and technology, chemistry (analytical or organic) or biochemistry, chemical engineering, microbiology, pharmacology and toxicology, or other related sciences; and

(b) the applicant has at having at least 3 years of experience in the medicinal products.

(2) A licence holder shall inform the licensing authority of any change in his name and the address of the manufacturer to which the licence relates.

(3) A licence holder shall provide and maintain such staff, premises, equipment and plant as are necessary for carrying out the manufacture and assembly of the medicinal product in the exact manner as the specification of the product and shall carry out the manufacturing operation as in the process specified in the application for a licence.

(4) A licence holder shall provide and maintain such staff premises, equipment and facilities for handling, storage and distribution of the medicinal product.

(5) A licence holder shall conduct all manufacturing operations in accordance with Good Manufacturing Practices (WHO Expert Committee on Specifications for Pharmaceutical Preparations, Thirty-second report. Geneva, World Health Organization, 1992:14-79 (WHO Technical Report Series, No. 823) with supplementary guidelines (WHO Technical Report Series, No. 863 of 1996)) prescribed by the licensing authority and shall ensure that the quality, safety and efficacy of the product are maintained as per specifications contained in the medicinal product licence.

(6) An applicant shall provide and maintain adequate staff, premises and laboratory equipment for carrying out the tests of the quality of the medicinal product.

(7) An applicant shall make adequate arrangements for the storage of medicinal products manufactured by him.

(8) A licence holder shall inform the licensing authority before making any material alteration to the premises or plant used under this licence and any change that he proposes to make in the -

- (a) person responsible for supervising the production operations; or
- (b) person responsible for the quality control of the medicinal product being manufactured.

(9) A licence holder shall maintain records of the details of manufacture of each batch of every medicinal product being manufactured and of the tests carried out in such forms as the licensing authority may require.

(10) Such records shall not be destroyed for a period of 2 years from the date when the manufacture of the relevant batch occurred.

(11) A licence holder shall keep such record as required in order to facilitate the withdrawal or recall from sale or supply of any medical product to which the licence relates. (12) A licence holder shall return the original copy of the licence to the licensing authority within 7 days from the date when the licence is suspended or revoked.

(13) A licence holder shall not use the licence for advertising purposes.

22. STANDARD PROVISIONS FOR THE WHOLESALE DEALERS LICENCE.

The following standard provisions shall apply to a wholesale dealers licence: -

- (a) a licence holder shall have a valid business registration with the Investment Promotion Authority; and
- (b) the licence shall be displayed in a prominent place in a part of the premises open to the public; and
- (c) a licensee shall permit an authorized inspector to inspect the premises and provide any information that is necessary; and
- (d) a licensee shall report to the licensing authority any change in the qualified person in-charge within one month of such change; and
- (e) a licensee shall inform the licensing authority in writing in the event of any change in the constitution of the firm operating under the licence. Where there is a change in ownership of the firm, the existing licence shall be deemed to be valid for a maximum period of 3 months from the date on which the change takes place, unless in the mean time a fresh licence has been obtained from the licensing authority in the name of the firm with the changed constitution; and
- (f) a licence holder shall provide and maintain such staff, premises, equipment and facilities for the handling, storage and distribution of the medicinal products which he handles, stores or distributes under his licence, as are necessary to avoid deterioration of the medicinal products and he shall not use the premises for such purposes other than those specified in the licence by the licensing authority; and
- (g) a licence holder shall ensure that the premises are sufficiently secured, preventing unauthorized access; and
- (*h*) a licence holder shall provide such information as may be requested by the licensing authority concerning the type and quantity of any medicinal product which he currently handles, stores or distributes;
- (i) where the licence holder has been informed by the licensing authority or by the holder of the product licence that any batch of medicinal product to which the wholesale dealer's licence relates has been found not to conform as regards to the strength, quality or purity with the specification of that product or with the provisions of the Act or of any regulations under the Act that are applicable to the medicinal product, he shall, if so directed, withhold such batch from sale for such period as may be specified by the licensing authority;

- (j) subject to the provisions of these regulations, no medicinal product to which the wholesale dealer's licence relates shall be sold or offered for sale by way of wholesale dealing by virtue of that licence unless there has been granted in respect of that medicinal produce licence which is for the time being in force and any sale or offer for sale shall be in conformity with the provisions of such medicinal product licence.
- (k) the licence holder, for the purpose of enabling the licensing authority to ascertain whether there are any grounds for suspending, revoking or varying any licence or certificate granted or issued under the Act, shall permit, and provide all necessary facilities to enable the Inspector, to carry out such inspection or to take samples or copies, in relation to things belonging to, or any business carried on by, the licence holder, as such person would have the right to carry out or take under the Act for the purpose of verifying any statement contained in an application or a licence or certificate; and
- (*l*) the licence holder shall at all times provide and maintain staff, premises, equipment and facilities that will enable the qualified person who is at his disposal to carry out the said function;
- (m) the provisions of this subsection shall also not apply where the licence holder handles the imported medicinal product
 - (i) in the course of the provision of facilities solely for the transport of the medicinal product; or
 - (ii) in the course of a business carried on by him as an import agent where he imports the medicinal product solely to the holder of another person who intends, in the course of a business carried on by him, to sell, or offer for sale the medicinal product by way of wholesale dealing or in any other way intends to distribute the medicinal product; or
 - (iii) the licensee shall comply with such further requirements, if any, applicable to the holders of licences, as may be specified by the licensing authority from time to time; or
 - (iv) all transactions pertaining to ordering, storage and distribution of medicinal products should be accurately recorded.

23. STANDARD PROVISIONS FOR AN IMPORT LICENCE.

In addition to requirements for wholes alers contained in Section 22 the following conditions must be met: –

- (a) a licence holder shall report any changes in his name and address and the address of his company to which the licence relates; and
- (b) a licence holder shall undertake to arrange for test of the medicinal product and to submit samples of the medicinal product when requested to do so by the licensing authority; and

s. 23.

- (c) a licence holder shall report to the licensing authority any change in the specification or composition of the medicinal product or the manufacturing procedure of the medicinal product; and
- (d) a licence holder shall inform the licensing authority of any batch of the medicinal product, which have been found to be harmful or unsafe or does not conform to the product's specifications; and
- (e) a licence holder shall keep and maintain records to which the licence relates in the manner as prescribed by the licensing authority.
- (f) a licence holder shall inform the licensing authority of any decision to withdraw the importation, sale or supply of the medicinal product to which the licence relates; and
- (g) a licence holder shall report to the licensing authority within 7 days from the receipt of any adverse effects or report relating to the medicinal product imported; and
- (*h*) a licence holder on a per consignment basis shall state the import licence number designated by the licensing authority on the label and package accompanying the medicinal product; and
- (*i*) a licence holder shall recall defective, harmful and unsafe medicinal products from the market and shall immediately stop the distribution and sale of the affected medicinal product; and
- (*j*) a licence holder shall return the original copy of the licence to the licensing authority if the licence is suspended or revoked; and
- (k) the validity of the import licence, in respect of each medicinal product, which the importer is dealing with, shall be subject to the continued validity of the corresponding medicinal product licence; and
- (*l*) a licence holder shall not use the licence for advertising purposes.

24. STANDARD PROVISIONS FOR AN EXPORT LICENCE.

The following standard provisions shall apply to an export licence: -

- (a) a licence holder shall report any changes in his name and address and the address of his company to which the licence relates; and
- (b) a licence holder shall report to the licensing authority of any change in the specification or composition of the medicinal product; and
- (c) the licence holder shall inform the licensing authority of any batch of the medicinal product, which has been found to be harmful or unsafe or does not conform to the product's specifications.
- (d) a licence holder shall keep and maintain records to which the licence relates in the manner as prescribed by the licensing authority; and

(e) a licence holder shall inform the licensing authority of any decision to withdraw the exportation, sale or supply of the medicinal product to which the licence relates.

25. STANDARDS FOR MEDICINAL PRODUCTS, COSMETICS AND MEDICINAL DEVICES.

(1) Any medicinal product for which a standard is otherwise prescribed in these regulations shall, where it is described as conforming to a monograph in a specified publication, conform to the description and tests set out in that publication for that medicinal product.

(2) Any medicinal product that is suitable for application into the eye shall conform to the tests for sterility.

(3) Any medicinal product, for use on the skin of a baby, or on any inflamed, abraded or broken skin, shall be free of pathogenic organisms.

(4) Any medicinal product or cosmetic intended for sale shall not contain any extraneous thing that is harmful, dangerous or offensive.

(5) A surgical dressing that is described as conforming to a monograph in a specified publication shall conform to the description and tests set out in that publication for that surgical dressing.

(6) A medical device that is described as conforming to a particular description shall conform to that description.

PART 4. – PHARMACIES.

26. **REGISTRATION OF A PHARMACY.**

(1) From such date as may be fixed by the Minister by notification in the National Gazette in this behalf, no person shall conduct a pharmacy in the State of Papua New Guinea unless he has obtained a registration from the licensing authority.

(2) An application for registration of a pharmacy shall be made in Form 1(a) as prescribed in Schedule 2 to these regulations.

(3) A registration shall be required for each pharmacy and a separate registration shall be required for each of the premises of any person operating a pharmacy in more than one location.

(4) A licence shall not be granted to any person unless the licensing authority is satisfied that the applicant complies with the following requirements:-

- (*a*) location and building:
 - (i) a pharmacy shall be located in a sanitary place and hygienic conditions shall be maintained in the premises; and
 - (ii) the place shall be kept dry, adequately lighted and ventilated at all times; and
 - (iii) the place shall be kept clean and free from dust and creatures likely to contaminate the medicine; and
 - (iv) the walls, floors and ceilings shall be properly constructed and kept in good repair, and shall be easy to clean; and
 - (v) the place shall not be used for any purpose that might affect the quality of the medicines or cosmetic; and
 - (vi) the place shall be provided with a means of drainage, sinks and other sanitary fittings maintained in good, clean and working conditions; and
 - (vii) the place shall be provided with an adequate supply of hot and cold water, and or other detergents; and
- (b) spacing:-
 - (i) the premises should be on an area of not less than 10 square metres; and
 - there shall be separate prescription compounding and dispensing counter depending on the work load requirements of the pharmacy separated from other areas to prevent admission to the public; and
 - (iii) a minimum of 1.5 square metres of counter space shall be provided for one pharmacist and, additional counter space shall be provided for each additional pharmacist.

- (c) staffing:- A pharmacy shall be provided with
 - (i) adequate facilities for preserving the sensitive medicinal products; and
 - (ii) refrigerators for the storage of vaccines and other biological preparations; and
 - (iii) adequate cupboards with lock and key for the storage of dangerous drugs; and
- (d) the storage conditions: A pharmacy shall be provided with
 - (i) adequate facilities for preserving the sensitive medicinal product; and
 - (ii) refrigerators for storage vaccines and other biological preparations; and
 - (iii) adequate cupboards with lock and key for the storage of dangerous drugs; and
- (e) dispensing equipment: A pharmacy shall be provided with adequate equipment necessary for dispensing of official preparations and processing prescriptions. Each item must be clean, in good repair and of suitable material. Following is a minimum list and must be extended according to the requirements of the dispensary.
 - (i) a suitable means of counting tablets and capsules. This equipment must be cleaned regularly so that cross contamination between products is avoided.
 - (ii) an accurate dispensing balance.
 - (iii) a range of graduated, stamped glass measures.
 - (iv) a refrigerator equipped with a maximum and minimum thermometer and capable of storing products at temperatures between 2 and 8 degrees Celsius. The refrigerator must be cleaned, defrosted and checked periodically to ensure efficient running and unless there are adequate arrangements for separating various items to avoid cross contamination, must be used only for medicinal products.
 - (v) a suitable range of dispensing containers for medicinal products and child resistant closures complying with the relevant standards.
 - (vi) a means of mechanically printing dispensing labels. Additional warning slip labels must be available, unless such warnings are printed on the dispensing labels. Where computer software is relied on for warnings and interactions this should be the latest version available.

- (f) Reference Books: A pharmacy shall be provided with any of the following reference books in their current edition:
 - (i) The British Pharmacopoeia;
 - (ii) The USP'
 - (iii) Martindale The Extra Pharmacopoeia;
 - (iv) British National Formulary.
- (g) The availability of the following reference material in their current edition would be useful for consultations:
 - (i) New Ethical Catalogue;
 - (ii) A hand book on drug interactions
 - (iii) A hand book on advice to the patient;
 - (iv) A medical dictionary.
- (*h*) Records and registers to be maintained in a pharmacy: A pharmacy shall keep and maintain the following records and registers.
 - (i) the records of dispensing of Narcotics and Psychotropic drugs;
 - (ii) the prescription medicines register;
 - (iii) records of medicines sold by retail and by wholesale.

27. GRANT OF LICENCE TO OPERATE A PHARMACY.

(1) A licence shall be issued in Form 2 as prescribed in Schedule 2 to these regulations, upon satisfaction of the requirements specified in Section 26 and as confirmed on inspection by the Licensing Authority;

(2) The licence shall be valid only for a period of 1 year;

(3) An application for renewal shall be made 3 months before the expiry of the original licence;

(4) Failure to pay the renewal fees within 3 months of the expiry of the original licence the licensee shall be required to pay the full prescribed registration fees.

28. GENERAL DUTIES OF PHARMACIST.

(1) A pharmacist who carries on a business as such or who is in charge of a dispensary shall –

- (a) ensure that the premises in which the business is carried on or dispensary, is adequately locked and otherwise secured at all times, when the business or the dispensary is not normally open to the public; and
- (b) maintain the business or the dispensary in a clean, hygienic and orderly condition; and

- (c) provide and maintain in good order and condition such equipment, necessary for the full and proper conduct of the business or the dispensary;
- (d) provide and maintain adequate and sufficient stocks of all medicinal products as are reasonable required for the full and proper practice of the profession and as may reasonably be prescribed by a medical practitioner, veterinary surgeon or a dentist; and
- (e) keep prominently displayed at all times at the premises so as to be readily visible to the public, a notice setting out the normal trading hours of the business or dispensary; and
- (*f*) have legibly printer or written, and continually so maintained, in a conspicuous place on the front of the business premises
 - (i) his name, in letters not less than 150mm high; and
 - (ii) his professional qualifications, in letters not less than 50mm high; and
 - (iii) if he is carrying on business, either, the word "Pharmacy" or "Pharmacist" in charge of a "Pharmacy"; and
- (g) provide advice on rational drug use to the public and medical profession.
- (*h*) maintain his professional knowledge in order to provide quality pharmaceutical care and services; and
- (*i*) at all times have regard to the laws and regulations applying to medicinal products and pharmaceutical practices, and maintain a high standard of professional conduct.

(2) A pharmacist or pharmacy technician registered with the Pharmacy Board of Papua New Guinea shall renew his licence to practice before 30th March each year.

(3) A pharmacist or pharmacy technician who fails to comply with Subsection (2) shall be required to pay the full prescribed registration fees, or otherwise his name shall be removed from the register of pharmacist or pharmacy technicians.

29. NOTICE OF ABSENCE.

A pharmacist who –

- (a) carries on a business at a shop; and
- (b) leaves the shop open for business under the control of some other pharmacist for a period of more than 42 days, shall immediately give notice by registered post, to the Chairman of the Pharmacy Board, of his absence and of its expected duration and the name of that other pharmacist.

30. INSPECTION.

A pharmacist shall permit an Inspector, during normal hours of a pharmacy or dispensary to examine and inspect the pharmacy as per the provisions of this regulation upon presentation of his credentials or identity.

31. CONDITIONS OF DISPENSING.

(1) No person other than a medical practitioner, veterinary surgeon, dentist or a pharmacist shall dispense a prescription medicine and shall not do so, if –

- (a) the prescription bears the word "cancelled" on it; or
- (b) the prescription
 - (i) is obliterated in whole or in part; or
 - (ii) is illegible; or
 - (iii) is defaced, or appears to have been altered in any way by a person other than the prescriber, or the date of presentation for dispensing is more than 6 months after the date on which the prescription was written.

(2) Every person dispensing a prescription medicine shall comply with the following requirements: –

- (a) the prescription shall not be dispensed more than once, unless the prescriber has indicated on the prescription that it may be dispensed on more than one occasion; and
- (b) if the prescription contains a direction that it may be repeated without any mention of the number of occasions or intervals between the dispensing, or the period of treatment required, it shall be dispensed on not more than two occasions; and
- (c) if the prescription contains a direction that it may be dispensed a stated number of times without an indication of time that is to elapse between each occasion of dispensing it shall not be dispensed more often than once in every three days; and
- (d) if the prescription contains a direction that it may be dispensed at stated intervals with out an indication as to the number of times it may be dispenses, it shall not be dispensed more often than 3 times; and
- (e) no medicinal product shall be sold or stocked by the licensee after the date of expiration of potency recorded on its container or label. Any such medicinal product may be stocked after the date of expiry separately from the trade stocks and all such medicinal product shall be kept in cartons which shall prominently display the words "Not for Sale".

32. DISPENSING PROCEDURE.

(1) Before dispensing a medicinal product on a prescription, a pharmacist, doctor, veterinarian or dentist must comply with the following procedures: -

- (a) he shall copy the prescription in full into the prescription book; and
- (b) he shall mark on the prescription the same identifying number or letter as recorded in the prescription book; and
- (c) he shall sign or initial the prescription and show the date of dispensing; and
- (d) he shall show on the prescription, the name and address of the pharmacy; and
- (e) in the case of a repeated prescription, he shall
 - (i) enter in the Prescription Book the name of the patient, the number of the original prescription and the date of dispensing of the prescription; and
 - (ii) endorse the prescription with a new number, the date of dispensing; and
 - (iii) sign or initial the prescription.

(2) The dispensed medicinal product shall be packed in a suitable container and labelled with the name of patients, name of the medicinal product and instructions for its use.

(3) Upon delivery to the patient, he shall inform the patient on the correct use of the medicinal product and ensure that the patient has understood the instructions.

33. PARTICULARS OF PRESCRIPTIONS TO BE RECORDED IN THE PRESCRIPTION BOOK.

The particulars to be shown in the prescription register are:-

- (a) the Serial Number of the entry; and
- (b) the date on which the medicinal product was sold or supplied; and
- (c) the name, quantity and, except where it is apparent from the name, the pharmaceutical form and strength of the medicinal product; and
- (d) the date on the prescription and the name and address of the practitioner giving it; and
- (e) the name and address of the person for whom, the medicinal product was prescribed; and
- (f) the initials or other identifying means of the registered pharmacist under whose supervision the medicinal product was made up or supplied.

25

34. EMERGENCY SUPPLY OF MEDICINAL PRODUCTS.

In an emergency a person lawfully conduct a retail pharmacy business can sell or supply a Prescription Only Medicine upon request by a doctor or a patient provided that the pharmacist in charge has satisfied himself of the situation and shall comply with the following conditions: -

- (a) that there is an immediate need for the medicinal product requested and that it is impracticable to obtain a prescription without undue delay; and
- (b) that an appropriate entry is made in the prescription register; and
- (c) that the container or package is labelled in accordance with the regulations and with the words "Emergency Supply".

35. PRESCRIPTION BY TELEPHONE.

(1) A medical practitioner, veterinary surgeon or a dentist –

- (a) may, by telephone, authorise a pharmacist to dispense a medicinal product for a person or an animal; and
- (b) shall, within 48 hours from the time of authorisation under Paragraph (a), send to the pharmacist a written prescription in relation to the medicinal product.
- (2) A prescription referred to under Section 35(1)(a) shall -
- (*a*) comply with Section 31(2)(b); and
- (b) be recorded and endorsed in accordance with Section 33.

36. SUPPLYING ON MEDICINAL PRODUCT BY PHARMACIST WITHOUT PRESCRIPTION.

Where, in the course of giving aid or assistance permitted under Sections 8(1)(b) and (c) of the Act, a pharmacist shall supply without a prescription the medicinal product belonging to the following category only: –

- (a) pharmacy only medicine as listed in Schedule 4; or
- (b) over the counter as listed in Schedule 5.

37. KEEPING OF RECORDS.

A pharmacist shall retain all records of prescription entered in the Prescription Book for a period of not less than 5 years after the date of entry.

38. RETURNING OF PRESCRIPTIONS.

(1) Subject to Subsection (2) a pharmacist shall, after dispensing or supplying a medicinal product, on prescription, return the prescription to the person who presented it for dispensing or supplying.

(2) If the medicine dispensed or supplied under Subsection (1) is a dangerous drug, the pharmacist shall retain the prescription and maintain it for a period of not less than two years from the date of dispensing or supplying.

39. STORAGE OF MEDICINAL PRODUCTS.

A pharmacist who dispenses or compounds or makes-up, medicinal product for patients or animals under his professional care, shall -

- (a) store each medicinal product in a separate receptacle clearly labelled with the name of the medicinal product; and
- (b) store and maintain each medicinal product in such a matter as to prevent any deterioration arising from inadequate stock management.

40. SUBSTITUTION OF MEDICINAL PRODUCTS.

A pharmacist who dispenses, compounds or makes up any medicinal product in dispensing a prescription, and without the consent of the prescriber, substitutes any other substance for a substance specified in the prescription, is guilty of an offence.

PART 5. – LABELLING.

41. PROHIBITION OF SALE OR DISTRIBUTION OF MEDICINAL PRODUCTS UNLESS PROPERLY LABELLED.

With effect from the appointed day and subject to the provisions of these Regulations, not person shall sell or distribute any medicines unless it is labelled in accordance with these Regulations.

42. LABELLING OF MEDICINAL PRODUCTS.

The container of all medicinal products imported, manufactured, processed or packed locally or sold or exposed for sale shall have a label whereon the following information shall be clearly indicated:-

- (a) the generic, official or approved non-proprietary name found in official pharmacopoeias or formularies; and
- (b) the brand name (where available); and
- (c) active ingredient(s) giving generic, official or approved non-proprietary name where available
 - (i) the amount in which each ingredient is present in each dosage unit; and
 - (ii) an indication of the net content; and
- (d) mode of administration or use; and
- (e) recommend storage conditions; and
- (f) warnings and precautions that may be necessary; and
- (g) the date of manufacture; and
- (h) the date of expiry; and
- (*i*) the batch number assigned by the manufacturer; and
- (*j*) the name and address of the manufacturer.

43. MANNER OF LABELLING OF MEDICINAL PRODUCT.

(1) Subject to the other provisions of these regulations, every label that is required by these regulations to be borne on a container shall -

- (a) be conspicuously written in English and for each statement separately required, be in uniform colour contrasting strongly with a uniform background; and
- (b) be legibly and durably marked on material firmly and securely attached to the container; and

- (c) be of such nature and material that will not face to the extent of becoming illegible, or become detached under normal storage conditions; and
- (*d*) be in a position that it will not readily be defaced in the course of normal handling and use; and
- (e) be in such a position that is not damaged; defaced, destroyed, or removed when the container is opened.

(2) Every medicinal product sold or intended for sale, for external use shall bear on the label of it container –

- (a) directions for use and frequency of use; and
- (b) the words "Caution, Not to be taken, or for external use only" or words of similar meaning.

(3) Every medicine for Injection in to human body and contains an antiseptic or preservative shall be labelled with a statement of the nature and amount of antiseptic or preservative.

(4) Any label on a container of a medicinal product dispensed with reference to the needs of a particular patient shall contain the following: -

- (*a*) the name and the strength of the product; and
- (*b*) the name of the patient; and
- (c) the name and address of the pharmacy which dispensed the medicinal product; and
- (d) in the case of a medicinal product for internal use, the dose and frequency of dose or as directed by the prescriber; and
- (e) in the case of a medicinal product for external use, a statement of the directions for use and frequency of use and one of the following statements, or words of similar meaning "Caution: Not to be taken", or "For External Use Only"; and
- (f) the words "KEEP OUT OF THE REACH OF CHILDREN".

44. LABELLING OF COSMETICS.

The container of all cosmetics imported, manufactured, processed or packed locally or sold or exposed for sale shall have a label whereon the following information shall be clearly indicated: –

- (a) the name of the cosmetic; and
- (b) a declaration of the net content; and
- (c) adequate direction for the safe use; and
- (d) any warning, caution or special directions for use; and
- (e) the batch number of the product; and

29

- (f) the manufacturing licence number and the name and address of the manufacturer; and
- (g) the manufacturing date and the expiry date.

45. LABELLING OF MEDICAL DEVICES.

The container of all medical devices imported, manufactured locally or sold or exposed for sale shall have a label whereon the following information shall be clearly indicated:-

- (a) the trade name of the medical device; and
- (b) the appropriate quantitative particulars; and
- (c) adequate direction for the safe use; and
- (*d*) any warning, caution or special directions for use; and
- (*e*) the batch number of the product; and
- (f) the manufacturing licence number and the name and address of the manufacturer.

46. PACKING OF MEDICINAL PRODUCT.

(1) The following are requirements of containers used for packing of medicinal products: –

- (a) any container either glass or plastic that is used in the packaging of a medicinal product shall comply with all the tests for that type of container specified in the British Pharmacopoeia or some other reference; and
- (b) any container used in the packing of medicinal product and made of metal shall be impermeable to moisture; and

(2) Every container used in the packing of a medicinal product and made of metal or plastic shall be made of a material that will not adversely react with the content of the container.

PART 6. – ADVERTISEMENTS.

47. ADVERTISEMENTS FOR MEDICINAL PRODUCTS.

(1) This section does not apply to advertisements directed exclusively to -

- (a) medical practitioners, psychologists, dentists, veterinary surgeons, pharmacists, physiotherapists, dieticians, scientists working in medical laboratories or nurses; or
- (*b*) persons who are
 - (i) engaged in the business of wholesaling therapeutic good; or
 - (ii) purchasing officers in hospitals; or
 - (iii) herbalists, homeopathic practitioners, naturopaths and nutritionists.
- (c) any advertisement for a medicinal product that the Health Department with agencies or non governmental organisations acting in conjunction with Health Department policies and programmes.

(2) The Minister shall issue an exemption under Section 4(1) of the Act that exempts contraceptives supported and encouraged by Health Department policies from the restriction on advertising for medicines and devices preventing contraception Section 31(2)(b)(ii) of the Act.

(3) Every advertisement for a medical product, other than a label or a price list shall include a statement of the active ingredient in the medicinal product.

(4) Only those medical claims documented in the application for medicinal product licence can be included in advertisements for medicinal products.

(5) Quasi medicines or herbal or traditional medicines shall not be advertised.

48. ADVERTISEMENTS FOR COSMETICS.

Every advertisement for a cosmetic, other than a label or a price list, shall include a statement of the uses of the product and a statement of the appropriate precautions to be taken in the use of the cosmetic.

49. ADVERTISEMENT FOR MEDICAL DEVICES.

Every advertisement for a medical device, other than a label or a price list, shall include, where appropriate the following: -

- (*a*) an accurate description of the medical device; and
- (b) a statement of the uses of the medical device; and
- (c) a statement of the appropriate precautions to be taken in the use of the medical device; and
- (d) a statement of any contraindication in the use of medical device.

50. CLASSIFICATION OF MEDICINAL PRODUCTS.

(1) The Minister may from time to time establish, maintain, review and publish the list of Prescription only medicine, Pharmacy only medicine and Over the Counter medicine.

(2) All medicinal product specified in Schedule 3 to these regulations are hereby declared to be Prescription only medicines.

(3) All medicinal product specified in Schedule 4 to these regulations are hereby declared to be Pharmacy only medicines.

(4) All medicinal product specified in Schedule 5 to these regulations are hereby declared to be over the counter medicines.

PART 7. – INSPECTION.

51. QUALIFICATIONS OF INSPECTORS.

(1) A person who is appointed as an Inspector under the Act shall be a person who has a degree in Pharmacy or similar qualification from a University established in Papua New Guinea by law or any other recognised institution.

(2) Duration of Inspectors permits. An Inspectors permit issued under these regulations is valid for a period of five (5) years unless suspended or revoked by the licensing authority.

(3) Revoking of Inspectors permit. The Licensing Authority shall suspend or revoke an inspector's permit if he –

- (a) fails to perform his duties under these regulations to the satisfaction of the licensing authority; or
- (b) is found guilty of an offence by a court of law in Papua New Guinea.

52. DUTIES AND POWERS OF INSPECTORS.

(1) Subject to the instructions of the Licensing authority, it shall be the duty of a certified inspector to inspect a manufacturer, wholesaler, retailer, importer and exporter of medicinal products.

(2) An inspector shall –

- (a) inspect all establishments licensed for the sale of medicinal product within the area assigned to him; and
- (b) satisfy himself that the conditions of the licences are being observed; and
- (c) procure and send for test or analysis, if necessary, imported packages which he has reason to suspect contain medicinal product being sold or stocked or exhibited for sale; and
- (d) procure and send for testing any medicinal product which he thinks is not of standard quality; and
- (e) investigate any complaint in writing which may be made to him; and
- (f) institute prosecutions in respect of breaches of the Act and regulations thereunder; and
- (g) maintain a record of all inspections made and action taken by him in the performance of his duties, including taking samples and the seizure of stocks and to submit copies of such records to the controlling authority; and
- (*h*) make such enquires and inspections as may be necessary to detect the sale of drugs in contravention of the Act –

33

- (i) the premises in or from which the medicinal product are dispensed, sold or supplied; and
- (ii) the stock, equipment and contents of the premises; and
- (iii) the Prescription Book and all records of prescriptions, medicinal product dispensed, sold or supplied in or from the premises, and to take copies of, or extracts from, any book or record in relation to anything referred to in Paragraph (a); and
- (*i*) provide professional advice to licence holders and potential licence holders on pharmaceutical requirements.

(3) A person to whom this section applies shall not –

- (a) fail to answer a question; or
- (b) give a false answer to a question by an authorised person on any item or aspect referred to in Paragraph (h).

53. PROHIBITION OF DISCLOSURE OF INFORMATION.

An inspector shall not disclose to any person any information acquired by him except for the purpose of official business under the direction of the Departmental Head or when required by a court of law.

54. TAKING OF SAMPLES FOR TESTING.

(1) When an Inspector takes a sample of any medicinal product for testing he must give the person from whom the sample was taken, a notice setting out the details of the products taken.

(2) An inspector in Subsection (1) shall ensure that the sample is appropriately packed, sealed, stored and transported as per the directions on the label and as soon as practicable submit the samples to the Analyst for testing.

PART 8. – MISCELLANEOUS.

55. QUALIFICATIONS OF ANALYST.

A person who is appointed as an Analyst under the Act shall be a person who has a degree in Pharmacy or similar qualifications from a University established in Papua New Guinea by law or any other recognised institution with a minimum of 2 years experience in testing of Pharmaceutical products in any reputed Quality Control Laboratory.

56. DUTIES OF ANALYST.

In addition to the other powers and functions of an official analyst, an official analyst may -

- (a) upon receipt of a sample, determine the tests that are to be performed on the sample; and
- (b) determine whether the sample needs to be forwarded to any other approved laboratory overseas for special tests; and
- (c) determine whether the sample is appropriately packaged, fastened and sealed; and
- (d) if the sample is appropriately packaged store the sample under secure conditions that are appropriate to the kind of goods; and
- (e) examine the label and package of the product to determine whether the medicinal products comply with the labelling and packaging requirements; and
- (f) determine whether the medicinal product label provides appropriate and clear instructions for use; and
- (g) as soon as practicable and within the available facilities carry out all the relevant tests to establish the quality of the sample and to determine whether the medicinal products comply with the standards specified in the labels; and
- (*h*) examine medicinal product suspected to be of questionable efficacy or safety, and to demonstrate and document any evidence of deterioration, contamination, or adulteration; and
- (*i*) check the stability of the medicinal products under local conditions of storages; and
- (*j*) furnish a report of the results of the analysis to the licensing authority.

57. CERTIFICATE OF GOVERNMENT ANALYST.

(1) The analyst should review the results as soon as possible after all the tests have been completed to determine whether the medicinal product meets the specification stated on the label. (2) After recording all conclusions the analyst shall issue a certificate of analysis.

(3) The analyst must send a copy of the certificate, signed by the analyst to the licensing authority, a copy to the Inspector and a copy to the person from whom the samples were taken, within a reasonable time.

58. APPOINTING A LABORATORY FOR TESTING.

The licensing authority shall for the purposes of these Regulations appoint a laboratory for testing the medicinal products either within the country or overseas until such time the Department establishes its own laboratory, for testing and evaluation of medicinal products.

59. THE REQUIREMENTS WITH RESPECT TO LEAFLETS RELATING TO MEDICINAL PRODUCTS.

(1) The medicinal product information should include all necessary information on the proper use of the product -

- (a) name of the medicinal product; and
- (b) quantitative list of active ingredients; and
- (c) dosage form; and
- (d) indicating -
 - (i) dosage; and
 - (ii) mode of administration; and
 - (iii) duration of use, where appropriate; and
 - (iv) adverse effects if any; and
 - (v) over dosage information; and
 - (vi) contraindications, warnings, precautions and drug interactions used in pregnancy and lactation; and

(2) The languages shall be one of the three national languages, either English, Motu or Pidgin.

	F'E.	ES FOR LICENCES.
Prod	uct licence:	
For medic	a licence issued to a cinal product	K20 per product
Impo	ort or Export licences:	
<i>(a)</i>	For licence issued to import or export medicinal product	K1000
(b)	Renewal of import or export licence for a medicinal product	K500
(c)	For licence issued to a Papua New Guinea legal entity to Import a product or a range of products from the licence holder of those medicinal product	K500
Who	lesale Dealer's Licence:	
(<i>a</i>)	Licence to sell a medicinal products by wholesale dealing	K4000
(b)	For Renewal of licence to sell a medicinal product by wholesale dealing	K1000
Manu	ufacturer's Licence:	
(a)	For each licence to manufacture a medicinal product	K4000
(b)	Renewal of licence to manufacture a medicinal product	K1000
Phar	macy registration:	
<i>(a)</i>	Fees for registration of a pharmacy	K4000
(b)	Renewal fees of licence for registration of a pharmacy	K1000

SCHEDULE 1 – . FEES FOR LICENCES.

Chemical trials:	
Fees for issue of a clinical trial certificate	K1000
Variation or amendment:	
Any variation or amendment to a licence on any single occasion	K20
Pharmacists & Pharmacy Technicians Registration:	
(a) Fees for registration of a pharmacist	K100
(b) Annual renewal fees to practise as a pharmacist	K50
(c) Fees for registration of a pharmacy technician	K25
(d) Annual renewal fees to practise as a pharmacy technician	K15
(e) Fees for provisional registration of pharmacist	K25
(f) Fees for provisional registration of pharmacy technician	K15

INDEPENDENT STATE OF PAPUA NEW GUINEA				
Medicines and Cosmetics Act 1999				
Act. Sec. 24				
Reg. Sec. 25 (2)	I(a)			
To be Completed by Applicant				
Applicant's Name				
Business Name				
Telephone Number				
Fax Number				
E mail Address				
Business Address	(Section & Lot. No.)			
IPA Number				
Fees Enclosed				
	apply for Pharmacy Registration and an accordance with the <i>Medicines and</i>			
Signature: Date:				
Witnessed by: –				
Commission	er for Oaths (Print Name)			
Date:				
Pharmacy Board Use Only				
Licence Number:				
Date Issued:				
Date of Previous Licence:				
Date of Expiration:				
Date of Inspection:				

Send to: Pharmacy Board of D P.O. Box 807	Papua New Guinea	
Waigani NCD		
Papua New Guinea		
Phone: (675) 3013886		
Fax: (675) 323 1631		
1 42. (070) 525 1051		
INDEPENDENT ST	TATE OF PAPUA N	EW GUINEA
Medicines	and Cosmetics Act	1999
Act. Sec. 25	armacy emblem above}	
Re. Form 2.	Sec.	26(1)
PHARMACY BO	OARD OF PAPUA NEW	GUINEA
Li	icence to Operate	
	Pharmacy	
Licence No.	:«Licence No»	
	(«Client Unique	ID»)
Issue date	: 18 November 1	999
Expiration date	: «Expiration Da	te»
Licensee	: «Name of Phar	macy»
Address	:«Village1»,«Dist	rict1»,
	«Province 1»	
Pharmacist	: «Name of Expo	rter»
Occupation	: «Occupation»	
This licence is subjected to the fo	llowing conditions:	
1. The licence shall comply wit Cosmetics Act 1999 and the		s of the <i>Medicines and</i>
2. The licence shall be displayed open to the public.	d in a prominent place in	a part of the premises
3. The operations of the phar mentioned above.	rmacy shall not take pla	ace than the premises
4. The licensee shall report to the person within one month of		charge in the qualified
5. Failure to pay the renewal of considered as a new license.		hs of the notice shall be

6. The licence s	shall be valid only	for a per	riod of	one year.	
7. Any further	conditions impose	ed by the	licens	ing authority shal	l be notified.
				Autl	horized Signature
				 Chairman –	- Pharmacy Board
T	NDEPENDENT 9	STATE (OF PA	PUA NEW GUIN	
				ics Act 1999	
Act. Sec. 11					
Reg. Sec. 9, 11,	5 and 15			Form 1(b)	
		CE APPL	ICATI	ON FORM	
A separate app	lication must be c	ompleted	d for ea	ach licence type.	
Licence Type	Wholesale	Import		Manufacturer	Export
(Tick applicable)					_
To be Complete	ed by Applicant				
Applicant's N	ame				
Business Nan	ne				
Postal Addres	ss				
Telephone Nu	umber				
Fax Number					
E mail Addre	ss				
Business Address			(Sect	ion & Lot. No.)	
IPA Number					
Person Respo	onsible				
Name					
Qualification					
Type of Appli	cation		New	/Renewal () app	olicable
Fees Enclosed	d				
					Registration and
	oly with all con 1999 and is Regula		in acc	ordance with the	e Medicines and
0					
Witness by: – .					
	Comr	nissioner	for O	aths (F	Print Name)
Date:					

Licence Number:	
Date Issued:	
Date of Previous Licence:	
Date of Expiration:	
Date of Inspection:	
Send to: Pharmacy Board of Pap	pua New Guinea
P.O. Box 807, Wat	igani NCD
Papua New Guine	ea
Phone: (675) 3013	3886
Fax: (675) 323163	1
INDEPENDENT	STATE OF PAPUA NEW GUINEA
Medicin	es and Cosmetics Act 1999
	image to be inserted above]
Act. Sec. 11	
Reg. Sec. 14(1)	Form 3.
	f Health Port Moresby, Papua New Guinea
	Licence To operate
	Wholesaler
Licence No.	:«Licence No»
	(«Client Unique ID»)
Issue date	: 9/7/01
Expiration date	: «Expiration Date»
Licensee	: «Name of Pharmacy»
Address	:«Village 1»,«District 1»,«Province 1»
Pharmacist	: «Name of Exporter»
Occupation	: «Occupation»
This license is subject to the	following conditions:
1. The licensee shall comply w Cosmetics Act 1999 and the	with the relevant provisions of the <i>Medicines and</i> e regulations there under.
2. The sale of the medicinal pro mentioned above.	ducts shall not take place other than the premises
3. The licensee shall report to t person within one month of	the licensing authority any charge in the qualified

5. The license shall be valid	only for a period of one year.
6. Any further conditions imp	posed by the licensing authority shall be notified.
	Authorized Signatur
	Director Medical Supplies Branc
Medici	nes and Cosmetics Act 1999
[Cr	est image to be inserted above]
Act. Sec. 11	
Reg. Form 4.	Sec. 14(1
National Department	of Health Port Moresby, Papua New Guinea
	License to Operate
	Importer
Licence No.	:«Licence No»
	(«Client Unique ID»)
Issue Date	:18 November 1999
Expiration date	:«Expiration Date»
Licensee	:«Name of Pharmacy
Address	:«Village1», «District1»,«Province1»
Pharmacist	:«Name of Exporter»
Occupation	:«Occupation»
This licence is subjected to the	e following conditions:
-	bly with the relevant provisions of the <i>Medicine</i> 199 and the regulations there under.
2. The licence shall be d premises open to the	isplayed in a prominent place in a part of the public.
3. The operations of the premises mentioned	importer shall not take place other than th above.
4. The licensee shall report a person within one mo	to the licensing authority any change in the qualifie onth of such change.
5. The licence shall be val	id only for a period of one year.

	Director Medical Supplies Brancl
INDEPENDENT S	STATE OF PAPUA NEW GUINEA
Medicine	s and Cosmetics Act 1999
Act. Sec. 11	
Reg. Sec. 16(1)	Form 5.
[Crest image to be inserted above]
National Department of H	lealth Port Moresby, Papua New Guinea
L	icense to Operate
	Exporter
Licence No.	:«Licence No»
	(«Client Unique ID»)
Issue Date	:8/15/01
Expiration date	:«Expiration Date»
Licensee	:«Name of Pharmacy
Address	:«Village1», «District1»,«Province1»
Pharmacist	:«Name of Exporter»
Occupation	:«Occupation»
This licence is subjected to the fol	lowing conditions:
	vith the relevant provisions of the <i>Medicine</i> nd the regulations there under.
2. The licence shall be displa premises open to the p	ayed in a prominent place in a part of the ublic.
3. The operations of the exp premises mentioned at	porter shall not take place other than the
4. The licensee shall report to th person within one month	e licensing authority any change in the qualifier of such change.
5. The licence shall be valid or	nly for a period of one year.
6. Any further conditions in notified.	nposed by the licensing authority shall be
	Authorized Signature
	Director Medical Supplies Branc
	rr rr

	Medicines o	and Cosmetics Act 1999
National Dep	partment of H	ealth Port Moresby, Papua New Guinea
Act. Sec. 11		
Reg. Form 6.		Sec. 3
		on for Drug Registration
	ledical Suppli	es Services, Department of Health
PART I		APPLICANT INFORMATION
Address	Street:	
	Area;	
	City	
	Province	
	Country	
Telephone		
Fax		
E mail address		
IPA permit #		
Contact person		
PART II		MANUFACTURER INFORMATION
Address	Street	
	Area	
	City	
	Province	
	Country	
Telephone		
Fax		
E mail address		
PART III		PRODUCT INFORMATION
		(see requirement # 9)
	А	ctive ingredients

Name	Str	rength			Name			rength	
1.					4.				
2.					5.				
3.					6.				
		A	ctive	in	gredients				
Name	Str	rength			Name		St	Strength	
1.					5.				
2.					6.				
3.					7.				
4.					8.				
Storage Conditions									
Shelf Life									
Primary packaging									
Packing Size							(s	ee package insert)	
Dispensing category	7	OTC Presci		scr	ription Pharmacy		у	Dangerous	
ATC Classification									
Pharmacologic Classification									
List in PNG Essen Drug List?	List in PNG Essential Drug List?		Yes						
Description		Colour S		Sł	hape Size			Coating	
		Other description							
Indications									
Contraindications									
Side effects									
Unit price									
PART IV		REGISTRATION INFORMATION (IMPORTATION)							
Registration No. country of origin)	(in								
Date of registration								(dd/mm/yy)	

I declare that the particulars given in this application are true and correct, and that all accompanying reports and documents supplied for the registration of medicinal products in PNG are true and are authentic copies.

Date: At:

At:

Authorized signature: _____

INDEPENDENT STATE OF PAPUA NEW GUINEA

Medicines and Cosmetics Act 1999

Act. Sec. 11

Reg. Sec. 4(1) Form 7.

[Crest image to be inserted above]

DEPARTMENT OF HEALTH

PORT MORESBY

PAPUA NEW GUINEA

TEL: 301-3886

FAX: 323-1631				
Registration Number:	(>)			
(۵»			
Dosage Form:	«»			
Active Ingredient/S:	(>)			
Description:	(>)			
Size of packaging unit:	(\$), (\$)			
Indications:	(>)			
Registration/Permit No.	(0)			
(issued by exporting country):				
Manufactured by: «»				
Address:«»,				
Telephone:	Fax number:			
Name of importer in PNG:				
Address:				
Telephone: Fax number:				
This Certificate is issued to attest that product described above has met the minimum standards required for drug registration undertaken by the Medical Supplies Branch, Department of Health Papua New Guinea .				

«».	unless previously suspended or revoked, on			
	Port Moresby, Papua New Guinea.			
Director Medical Supplies Br	anch.			
	T STATE OF PAPUA NEW GUINEA			
	nes and Cosmetics Act 1999			
Act. Sec. 11				
Reg. Sec. 8 Form 8.				
[Cr	rest image to be inserted above]			
Natior	nal Department of Health			
Port Mo	oresby, Papua New Guinea			
	License to Operate			
	Manufacturer			
Licence No. :«Licence No»				
	(«Client Unique ID»)			
Issue Date	:18 November 1999			
Expiration date	:«Expiration Date»			
Licensee	:«Name of Pharmacy			
Address	:«Village1», «District1», «Province1»			
Pharmacist	:«Name of Exporter»			
Occupation	:«Occupation»			
This licence is subjected t	o the following conditions:			
	ply with the relevant provisions of the <i>Medicines</i> 999 and the regulations there under.			
2. The licence shall be d premises open to the	isplayed in a prominent place in a part of the public.			
3. The operations of the m premises mentioned a	nanufacturer shall not take place other than the above.			
4. The licensee shall report a person within one month	to the licensing authority any change in the qualified h of such change.			
5. The licence shall be val	id only for a period of one year.			
6. Any further condition notified.	s imposed by the licensing authority shall be			
	Authorized Signature			

	Director Medical Supplies Branch
	INDEPENDENT STATE OF PAPUA NEW GUINEA
	Medicines and Cosmetics Act 1999
Act. Sec	z. 54, (r, 1)
Reg. Se	c. 2, (24-26) Form 9.
	Application for Issue of a Clinical Trial Certificate
1. I .	resident ofby occupationby medical products mentionedand I undertake to comply with the conditions applicable to the licence and in accordance with the Medicines and Cosmetics Act and regulations.
	Name of the Medicinal Product Quantity
2. I end	elose the fee of
Sig	nature of applicant
Dat	e

Г

SCHEDULE 3 – . PRESCRIPTION ONLY MEDICINES.

Act. Sec. 8
Reg. Sec. 50
Acarbose
Acebutolol and its salts
Acetarsol and its salts
Acetazolamide and its salts
Acetohexamide
Acetyl strophanthidin
Acetylcarbromal
Acetylcholine and its salts
Acetylcysteine Injection
Acetyldigitoxin
Aconite root
Actinomycin C
Actinomycin D
Adrenal Extract
Adrenaline Injection
Albumin fraction (saline) human
Albumin, human
Albuterol
Alelofenac
Alclometasone
Alcuronium Injection
Aldosterone
Alendronate
Alendronate sodium
Alfacalcidol
Allergens
Allopurinol
Allyloestrenol
Alphadolone acetate
Alphaxalone
Alprazolam
Alprenolol
50

Aluminium clofibrate Amantadine and its salts Ambutonium Bromide Amcinonide Ametazole Hydrochloride Amethocaine Amidopyrine Amikacin sulphate Aminocaproic acid Aminoglutethimide Aminoglutethimide Aminopyrine Aminoglutethimide Aminopyrine Aminoglutethimide Aminopyrine Aminoglutethimide Aminopyrine Aminoglutethimide Aminopyrine Aminopyrine Aminoglutethimide Aminopyrine Amiry and Amiry and Amoxycillin with clavulanic acid	Alseroxylon
Ambutonium BromideAmcinonideAmetazole HydrochlorideAmethocaineAmidopyrineAmikacin sulphateAminoride hydrochlorideAminocaproic acidAminoglutethimideAminoperaineAminopium bromideAmoxycillin SodiumAmoxycillin SodiumAmoxycillin vith clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAminoillin sodiumAminoillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAminoneAminoneAminoneAminoneAminoneAm	Aluminium clofibrate
AmcinonideAmetazole HydrochlorideAmethocaineAmidopyrineAmikacin sulphateAminoride hydrochlorideAminocaproic acidAminoglutethimideAminoperrainAminoperrainAminoperrainAminosalicylic acidAmiritriptylineAmitriptyline HydrochlorideAminonium bromideAmoxycillin SodiumAmoxycillin vith clavulanic acidAmoxycillin sodiumAmoycillin sodiumAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAminotilin rihydrateAmpicillin sodiumAminotilin rihydrateAminotilin rihydrateAmpicillin sodiumAminotilin sodiumAminoneAminoneAminoni hydrateAminoneAminotilin sodiumAminotilin sodiumAminotilin sodiumAminotilin sodiumAminotilin sodium <td>Amantadine and its salts</td>	Amantadine and its salts
Ametazole HydrochlorideAmethocaineAmikacin sulphateAmikacin sulphateAminocaproic acidAminoglutethimideAminoglutethimideAminopterinAminosalicylic acidAmitriptyline embonateAmitriptyline HydrochlorideAmitriptyline HydrochlorideAmosycillin SodiumAmoxycillin sodiumAmoycillin trihydrateAmitriptyline hydrochloride	Ambutonium Bromide
AmethocaineAmidopyrineAmikacin sulphateAmiloride hydrochlorideAminocaproic acidAminodaroneAminoglutethimideAminoglutethimideAminopterinAminosalicylic acidAmisometradineAmisometradineAmitriptyline embonateAmitriptyline HydrochlorideAmosapineAmosycillin SodiumAmoycillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Amcinonide
AmidopyrineAmikacin sulphateAmiloride hydrochlorideAminocaproic acidAminoqaroneAminoglutethimideAminometradineAminopterinAminosalicylic acidAmitriptylic acidAmitriptylineAmitriptylineAmitriptylineAmitriptyline embonateAmoxapineAmoxycillin SodiumAmoxycillin sodiumAmoycillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicoline hydrochloride	Ametazole Hydrochloride
Amikacin sulphateAmiloride hydrochlorideAminocaproic acidAminodaroneAminoglutethimideAminoglutethimideAminometradineAminorexAminosalicylic acidAmisometradineAmisometradineAminosalicylic acidAmitriptylineAmitriptylineAmitriptyline embonateAminonium bromideAmoxapineAmoxycillin SodiumAmoxycillin with clavulanic acidAmpioteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaline hydrochloride	Amethocaine
Amiloride hydrochlorideAminocaproic acidAminodaroneAminoglutethimideAminoglutethimideAminometradineAminorexAminosalicylic acidAmisometradineAmisometradineAmitriptyline acidAmitriptylineAmitriptylineAmitriptyline embonateAmionyAmoxycillin SodiumAmoxycillin vith clavulanic acidAmoxycillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin hydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin hydrateAmpicillin hydrateAmpicillin hydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin hydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Amidopyrine
Aminocaproic acidAminodaroneAminoglutethimideAminoglutethimideAminometradineAminopterinAminorexAminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptylineAmitriptyline embonateAmionium bromideAmoxapineAmoxycillin SodiumAmoxycillin with clavulanic acidAmpiocillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaline hydrochloride	Amikacin sulphate
AminodaroneAminoglutethimideAminometradineAminometradineAminopterinAminorexAminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptylineAmitriptyline embonateAmionium bromideAmoxycillinAmoxycillin SodiumAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin kodiumAmpicillin sodiumAmpicillin sodiumAmpicillin kodiumAmpicillin kohloride	Amiloride hydrochloride
AminoglutethimideAminometradineAminopterinAminorexAminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmoxapineAmoxycillin SodiumAmoxycillin with clavulanic acidAmpoteracin BAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin kodiumAmpicillin kodium </td <td>Aminocaproic acid</td>	Aminocaproic acid
AminometradineAminopterinAminorexAminosalicylic acidAmisolicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmosapineAmoxycillin SodiumAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmrinoneAmylocaine hydrochloride	Aminodarone
AminopterinAminorexAminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin kodiumAmpicillin kodiumAmpicillin sodiumAmpicillin kodiumAmpicillin kodiumAmpicaline hydrochloride	Aminoglutethimide
AminorexAminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmoxapineAmoxycillin SodiumAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaline hydrochloride	Aminometradine
Aminosalicylic acidAmiphenazoleAmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmnonium bromideAmoxapineAmoxycillin SodiumAmoxycillin trihydrateAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Aminopterin
AmiphenazoleAmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmnonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicane hydrochloride	Aminorex
AmisometradineAmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmnonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Aminosalicylic acid
AmitriptylineAmitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmnonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Amiphenazole
Amitriptyline embonateAmitriptyline HydrochlorideAmlodipineAmnonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin sodiumAmpicillin hydrateAmpicillin hydrateAmpicaine hydrochloride	Amisometradine
Amitriptyline HydrochlorideAmlodipineAmmonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillinAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicollin trihydrateAmpicaline hydrochloride	Amitriptyline
AmlodipineAmmonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillinAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Amitriptyline embonate
Ammonium bromideAmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillinAmpicillin sodiumAmpicillin trihydrateAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicaine hydrochloride	Amitriptyline Hydrochloride
AmoxapineAmoxycillinAmoxycillin SodiumAmoxycillin trihydrateAmoxycillin with clavulanic acidAmphoteracin BAmpicillinAmpicillin sodiumAmpicillin trihydrateAmpicillin trihydrateAmpicillin trihydrateAmpicollin trihydrate	Amlodipine
Amoxycillin Amoxycillin Sodium Amoxycillin trihydrate Amoxycillin with clavulanic acid Amphoteracin B Ampicillin Ampicillin sodium Ampicillin trihydrate Ampicillin trihydrate Ampicillin trihydrate Ampicillin trihydrate Ampicolin hydrochloride	Ammonium bromide
Amoxycillin Sodium Amoxycillin trihydrate Amoxycillin with clavulanic acid Amphoteracin B Ampicillin Ampicillin sodium Ampicillin trihydrate Ampicollin trihydrate Ampicollin trihydrate Ampicollin hydrochloride	Amoxapine
Amoxycillin trihydrate Amoxycillin with clavulanic acid Amphoteracin B Ampicillin Ampicillin sodium Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Amoxycillin
Amoxycillin with clavulanic acid Amphoteracin B Ampicillin Ampicillin sodium Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Amoxycillin Sodium
Amphoteracin B Ampicillin Ampicillin sodium Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Amoxycillin trihydrate
Ampicillin Ampicillin sodium Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Amoxycillin with clavulanic acid
Ampicillin sodium Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Amphoteracin B
Ampicillin trihydrate Amrinone Amylocaine hydrochloride	Ampicillin
Amrinone Amylocaine hydrochloride	Ampicillin sodium
Amylocaine hydrochloride	Ampicillin trihydrate
	Amrinone
Ancrod	Amylocaine hydrochloride
	Ancrod

Androsterone
Anurine Hydrochloride Injection
Antiotensin amide
Anterior Pituitary extract
Antigens
Antihuman lymphocyte immunoglobulin
Antimony barium tartrate
Antimony Dimercaptosuccinate
Antimony Lithium thiomalate
Antimony Pentasulphide
Antimony Potassium tartrate
Antimony Sodium tartrate
Antimony Sodium thioglycollate
Antimony Sulphate
Antimony Trichloride
Antimony Trioxide
Antimony Trisulphide
Apiol
Apomorphine
Apomorphine hydrochloride
Apronal
Aprotinin
Arecoline hydrobromide
Arsenic
Arsenic Triiodide
Arsenic Trioxide
Arsphenamine
Artesunate Injection
Atenolol Injection and tablets
Atracurium
Atropine Sulphate Injection
Auranofin
Azacyclonol
Azapetine
Azapropazone
Azarbine

Azathioprine Sodium Azidocillin Potassium Azithromycin Azlocillin Bacampicillin hydrochloride Bacalofen Barethan Bambermycin Barbituric acide Barium carbonate Barium carbonate Barium sulphide Beclamide Beengride Benegride Benegride sodium Benatyzine Benzeloylinycholo	Azathioprine
Azithromycin Azlocillin Bacaopicillin hydrochloride Bacaopicillin hydrochloride Bamethan Bambermycin Barbituric acide Barium carbonate Barium carbonate Barium sulphide Beclamide Beclamide Benegride Benegride sodium Benactyzine	Azathioprine Sodium
AzlocillinBacampicillin hydrochlorideBachofenBamethanBambermycinBarbituric acideBarium carbonateBarium carbonateBarium sulphideBeclamideBeclamideBeclomethasone and its salt except in formulations for inhalationBemegrideBeneryzine hydrochlorideBenathamine penicillinBenzepril hydrochlorideBenzeprideBenerazideBenzaprofenBenzathine penicillinBenzepridolBenzathine penicillinBenzepridolBenzeprideBenzeprideBenzeprideBenzeprideBenzeprideBenzepride	Azidocillin Potassium
Bacampicillin hydrochloride Baclofen Bamethan Bambermycin Barbituric acide Barium carbonate Barium carbonate Barium sulphide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Benergride sodium Benathamine penicillin Benazepril hydrochloride Benorgfuazide Benzaprofen Benzathine penicillin Benzaprofen Benzaprofen Benzathine penicillin Benzaprofen Benzaprofen Benzytomarone Benzathine penicillin Benzergride Benzaprofen Benzaprofen Benzathine penicillin Benzergride Benzathine penicillin Benzergride Benzathine penicillin Benzergride Benzergride Benzergride Benzergride Benzergride Benzergride Benzergride Benzol hydrochloride	Azithromycin
Baclofen Bamethan Bambermycin Barbituric acide Barium carbonate Barium carbonate Barium chloride Barium sulphide Beclamide Beclomethasone and its salt except in formulations for inhalation Beenegride Bennegride Benactyzine Benathamine penicillin Benorofluazide Benorofluazide Benzathine penicillin Benegride Benzaprofen Benzathine penicillin Benzathine penicillin Benzathine penicillin Benzaprofen Benzathine penicillin Benzaprofen Benzathine penicillin Benzo	Azlocillin
Bamethan Bambermycin Barbituric acide Barium carbonate Barium carbonate Barium chloride Barium sulphide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Benergide Benergide Benactyzine Benactyzine Benathamine penicillin Benazepril hydrochloride Benozaprofen Benzathine penicillin Benzeraide Benzeraide Benzeraide Benzeraide Benzeraide Benzeraide Benzeraide Benzelonium bromide Benzoly Sulphanilamide Benzoyl Sulphanilamide Benzelonium injection	Bacampicillin hydrochloride
Banbermycin Barbituric acide Barium carbonate Barium carbonate Barium chloride Barium sulphide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Benegride sodium Benactyzine Benathamine penicillin Benazepril hydrochloride Benozaprofen Benzathine penicillin Benzerzide Benzerido Benzerido Benzelinin bromide Benzol hydrochloride Benzoui azepine N-Benzoyl Sulphanilamide Benzetropine Injection <td>Baclofen</td>	Baclofen
Barbituric acide Barium carbonate Barium carbonate Barium chloride Barium sulphide Barium sulphide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benegride sodium Benactyzine Benpryzine hydrochloride Benathamine penicillin Benozaprofen Benozaprofen Benzetide Benzathine penicillin Benzerazide Benzerazide Benzerazide Benzerazide Benzerazide Benzelonium bromide Benzolonium bromide Benzolonium bromide Benzolazepine N-Benzoyl Sulphanilamide Benzthiazide Benzthiazide Benztropine Injection	Bamethan
Barium carbonate Barium chloride Barium sulphide Barium sulphide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benactyzine Benactyzine Benathamine penicillin Benazepril hydrochloride Benozaprofen Benperidol Benserazide Benzathine penicillin Benzethine fight for the fight	Bambermycin
Barium chloride Barium sulphide Barium sulphide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benegride sodium Benactyzine Benathamine penicillin Benazepril hydrochloride Benozaprofen Benzathine penicillin Benserazide Benzathine penicillin Benzetroine Benzhexol hydrochloride Benzlexol hydrochloride Benzlexol hydrochloride Benzotamine Hydrochloride Benzotamine Hydrochloride Benzotamine Hydrochloride Benzquinamide Benzthiazide Benzthiazide	Barbituric acide
Barium sulphide Baclamide Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benactyzine Benactyzine Benathamine penicillin Benazepril hydrochloride Bendrofluazide Benozaprofen Benperidol Benserazide Benzathine penicillin Benzbromarone Benzhexol hydrochloride Benzotamine Hydrochloride Benzotamine Hydrochloride Benzotamine Hydrochloride Benzquinamide Benzthiazide Benzthiazide	Barium carbonate
Beclamide Beclamide Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benactyzine Benactyzine hydrochloride Benathamine penicillin Benazepril hydrochloride Bendrofluazide Benozaprofen Benserazide Benzthine penicillin Benzepril hydrochloride Benzepridol Benzelonium penicillin Benzelonium bromide Benzotiazepine N-Benzoyl Sulphanilamide Benzthiazide Benztropine Injection	Barium chloride
Beclomethasone and its salt except in formulations for inhalation Bemegride Bemegride sodium Benactyzine Benactyzine Benathamine penicillin Benazepril hydrochloride Bendrofluazide Bendrofluazide Benozaprofen Benperidol Benserazide Benzathine penicillin Benzbromarone Benzhexol hydrochloride Benzilonium bromide Benzotamine Hydrochloride Benzotamine Hydrochloride Benzotiazepine N-Benzoyl Sulphanilamide Benzthiazide Benzthiazide	Barium sulphide
Bemegride Bemegride sodium Benactyzine Benactyzine hydrochloride Benathamine penicillin Benazepril hydrochloride Bendrofluazide Benozaprofen Benserazide Benzethine penicillin Benserazide Benzethine penicillin Benzethine Benzethine Benzethine Benzethine Benzethine Benzethine Benzethine Benzethiazide Benzetropine Injection	Beclamide
Bemegride sodium Benactyzine Bennpryzine hydrochloride Benathamine penicillin Benazepril hydrochloride Bendrofluazide Benozaprofen Benserazide Benzethine penicillin Benzethine penicillin Benserazide Benzethine penicillin Benzethine penicillin Benzbromarone Benzilonium bromide Benzoctamine Hydrochloride Benzotiazepine N-Benzoyl Sulphanilamide Benztionium ide Benzquinamide Benztiopine Injection	Beclomethasone and its salt except in formulations for inhalation
Benactyzine Benpryzine hydrochloride Benathamine penicillin Benazepril hydrochloride Bendrofluazide Benozaprofen Benperidol Benserazide Benzathine penicillin Benzathine penicillin Benzathine penicillin Benzathine penicillin Benzathine penicillin Benzbromarone Benzilonium bromide Benzoctamine Hydrochloride Benzodiazepine N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide Benzthiazide	Bemegride
Benpryzine hydrochlorideBenathamine penicillinBenazepril hydrochlorideBenazepril hydrochlorideBenozaprofenBenperidolBenserazideBenserazideBenzathine penicillinBenzbromaroneBenzlexol hydrochlorideBenzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzthiazideBenzthiazideBenzthiazideBenzthiazide	Bemegride sodium
Benathamine penicillinBenazepril hydrochlorideBendrofluazideBendrofluazideBenozaprofenBenperidolBenserazideBenserazideBenzathine penicillinBenzbromaroneBenzlexol hydrochlorideBenzoctamine HydrochlorideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzthiazideBenztropine Injection	Benactyzine
Benazepril hydrochlorideBendrofluazideBendrofluazideBenozaprofenBenperidolBenserazideBenserazideBenzathine penicillinBenzbromaroneBenzhexol hydrochlorideBenzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzthiazideBenztropine Injection	Benpryzine hydrochloride
BendrofluazideBenozaprofenBenperidolBenserazideBenserazideBenzathine penicillinBenzbromaroneBenzhexol hydrochlorideBenzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenztropine Injection	Benathamine penicillin
BenozaprofenBenperidolBenserazideBenzathine penicillinBenzbromaroneBenzhexol hydrochlorideBenzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenztropine Injection	Benazepril hydrochloride
Benperidol Benserazide Benzathine penicillin Benzbromarone Benzhexol hydrochloride Benzilonium bromide Benzoctamine Hydrochloride Benzodiazepine N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide Benztropine Injection	Bendrofluazide
BenserazideBenzathine penicillinBenzbromaroneBenzhexol hydrochlorideBenzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenztropine Injection	Benozaprofen
Benzathine penicillin Benzbromarone Benzhexol hydrochloride Benzilonium bromide Benzoctamine Hydrochloride Benzodiazepine N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide Benztropine Injection	Benperidol
BenzbromaroneBenzhexol hydrochlorideBenzilonium bromideBenzotamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenztropine Injection	Benserazide
Benzhexol hydrochloride Benzilonium bromide Benzoctamine Hydrochloride Benzodiazepine N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide	Benzathine penicillin
Benzilonium bromideBenzoctamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenzthiazide	Benzbromarone
Benzotamine HydrochlorideBenzodiazepineN-Benzoyl SulphanilamideBenzquinamideBenzthiazideBenztropine Injection	Benzhexol hydrochloride
Benzodiazepine N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide Benztropine Injection	Benzilonium bromide
N-Benzoyl Sulphanilamide Benzquinamide Benzthiazide Benztropine Injection	Benzoctamine Hydrochloride
Benzquinamide Benzthiazide Benztropine Injection	Benzodiazepine
Benzthiazide Benztropine Injection	N-Benzoyl Sulphanilamide
Benztropine Injection	Benzquinamide
	Benzthiazide
Benztropine mesylate	Benztropine Injection
	Benztropine mesylate

Benzydamine
Benzylpenicillin
Beta-adrenergic receptor blocking medicines
Betahistine hydrochloride
Betamethasone
Betamethasone and its sale except in topical preparation containing less than 1.0%
Bethanicol chloride
Bethanidine sulphate
Bezafibrate
Biperiden hydrochloride
Biperiden Lactate
Bismuth glycollylarsanilate
Bismuth subsalicylate
Bisoprolol fumarate
Bitolterol mesylate
Bleomycin
Blood corpuscles, concentrated human red
Blood, dried human
Bretylium Tosylate
Bromazepam
Bromocriptine Mesylate
Bromvaletone
Bronchodilators
Broxyquinoline
Budesonide
Bufexamac
Bumetanide
Buphenin hydrochloride
Bupivacaine
Bupivacaine hydrochloride
Buprenorphine
Buprenorphine Hydrochloride
Busprirone Hydrochloride
Busulphan
Butacaine sulphate

Butriptyline hydrochloride
Butylaminobenzoate
Butylchloral hydrate
Calciferol
Calcitocin
Calcitonin
Calcitriol
Calcium bromide
Calcium benzylaminodiasalicylate
Calcium amphonycin
Calcium bromo lactobinate
Calcium carbamide
Calcium folinate
Calcium sulphaloxate
Calcium Gluconate Injection
Calcium polystyrene sulphonate
Calcium sodium edetate Injection
Candicidim
Cantharidin
Capreomycin sulphate
Captopril
Carbachol
Carbamazepine
Carbaryl
Carbenicillin sodium
Carbenoxolone sodium
Carbidopa
Carbimazole
Carbocisteine
Carboplatin Injection
Carboxy methyl cysteine
Carbromal
Carbutamide
Carbuterol
Cardiac glycosides

Carfecillin sodium
Carindacillin
Carisoprodol
Carmustine
Carperidine
Carprofen
Cefaclor
Cefadroxil
Cefoperazone
Cefotaxime
Cefotiam
Cefsulodin
Ceftazidime Injection
Ceftriaxone
Cefuroxime
Cephalexin
Cephalexin sodium
Cephalothin sodium
Cefalordin
Cephazolin sodium
Cephradine
Cerium oxalate
Chenodeoxycholic acid
Chloral hydrate
Clarithromycin
Chlormbucil
Chloramphenical except in topical preparations
Chloramphenical cinnamate
Chloramphenical palmitate
Chloramphenical sodium succinate
Chlorhexadol
Chlorimadinone Acetate
Chlormerodrin
Chlormethiazole
Chloromethiazole edisylate
Chlormezanone
56

Chlorphenoxamine hydrochloride
Chlorpromazine hydrochloride
Chlorpromazine
Chlorpropamide
Chlorpropamide
Chlorprothixene
Chlortetracycline
Chlortetracycline calcium
Chlortetracycline Hydrochloride
Chlorthalidone
Chlorthiazide
Chlorzoxazone
Chorionic gonadotrophin
Cimetidine Injection
Chinchocaine hydrochloride
Cinchopen
Cinoxacin
Cisplatin Injection
Clenbuterol hydrochloride
Clidinium bromide
Clindamycin
Clindamycin Hydrochloride hydrate
Calmitate hydrochloride
Clindamycin Phosphate
Clobetasol 17-propionate
Clobetasone butyrate
Clofazimine
Clofibrate
Clomiphene Citrate
Clomipramine
Clomipramine hydrochloride
Clomocycline
Clomipramine hydrochloride
Clomocycline
Clomocylline sodium
Clonidine

Clonidine Hydrochloride
Clopamide
Clorexolone
Cloxacillin
Codeine phosphate except in compound formulation containing 10 mg or less
Cotrimoxazole
Coumarins
Crocus sativus
Curar; alkaloids of; curare bases
Cyclandelate
Cyclobenzaprine; and its salts
Cyclofenil
Cycloheximide
Cyclopenthiazide
Cyclopentolate hydrochloride
Cyclophosphamide Injection and Tablets
Cyclopropane
Cycloserine Tablets
Cyclosporin
Cycrimine; and its salts
Cyproterone; and its esters
Cytarabine Injection
Cytotoxic medicines
Dacarbazine
Dactinomycin
Danazol
Dantrolene sodium
Dapsone
Dapsone ethane orthosulphonate
Daunorubicin Hydrochloride
Dibenzepin
Demecarium bromide
Deanol bitartrate
Debrisquine sulphate
Demeclocycline

Demeclocycline calcium
Demeclocycline hydrochloride
Demethylchlortetracycline and its salts
Deoxycortone Acetate
Deoxycortone Pivalate
Deoxymethasone
Deptropine Citrate
Dequalinium chloride
Deserpidine
Desferrioxamine mesylate
Desfluoro triamcinolone
Desipramine hydrochloride
Deslanoside
Desmopressin and its salts
Desogestrel
Desonide
Dexamethasome and its esters
Dextromethorphan hydrobromide except in cough formulations
Dextrothyroxine sodium
Diazepam and its salts
Diazoxide and its salts
Dichloral phenazone
Dichlorphenamide
Diclofenac and its salts
Dicyclomine Hydrochloride
Dienoestrol and its esters
Diethanolamine fusidate
Diethl propion hydrochloride
Diflunisal
Difluocortolone and its esters
Digitalis leaf
Digitalis
Digotoxin
Digoxin
Dihydrallazine sulphate
Dihydroergotixine and its salts

Dihydrotachysteriol
Di-iodohydroxyquinoline
Diltiazem and its salts
Dimercaprol
Dimethisoquin hydrochloride
Dimethisterone
Dimethothiazine mesylate
Dimethyl sulphoxide
Dimethyl tubocurarine bromide
Dimethyl tubocurarine chloride
Dimethyl tubocurarine iodine
Dinoprost
Diphenidol and its salts
Dipivefrin and its salts
Dipyridamole
Disopyramide and its salts
Distigmine and its salts
Disulfiram
Disulphamide
Diuretics, oral
Dobutamine and its salts
Domperidone
Dopamine and its salts
Dothiepin and its salts
Doxantrozole and its salts
Doxapram and its salts
Doxepin and its salts
Doxycycline and its salts
Droperidol
Drostanolone and its salts
Dydrogesterone
Dyflos
Econazole and its salts except in dermatological medicines
Ecothiopate and its salts
Ectylurea
Edrophonium and its salts

Embutramide
Emepronium and its salts and its complexes
Emetine and its salts
Enalapril maleate
Epicillin and its salts
Epithiazide
Ergometine and its salts
Ergot
Ergotamine Tartrate
Erthomycin and its salts and its esters
Estramustine and its salts
Estrogens
Etafedrine hydrochloride
Ethacrynic acid and its salts
Ethambutol and its salts
Ethamivan
Ethamsylate
Ethiazide
Ethinyloestradiol
Ethionamide
Ethisterone
Ethoglucid
Ethoheptazine and its salts
Ethopropazine hydrochloride
Ethosuximide
Ethoxzolamide
Ethyl biscoumacetate
Ethylene
Ethyloestrenol
Ethynodiol and its esters
Etidronate disodium
Etomidate
Etoposide
Etretinate
Factor ix fraction dried human
Fazadinium bromide

Fenbufen
Ferrous arsenate
Fibrin foam, human
Flavoxate hydrochloride
Flecainide and its salts
Fluanisone
Fluclorolone acetonide
Flucloxacillin Capsule, Injection and Suspension
Flucytosine
Fludrocortisone and its esters
Flufenamic acid and its salts
Flumethasone and its esters
Flumethiazide
Flunisolide
Flunitrazepam and its salts
Fluocinolone and its derivatives
Fluocinonide and its esters
Fluocortolone and its esters
Fluorescein Injection
Fluorometholone and its esters
Fluorouracil Injection
Fluouracil
Fluoxy mesterone
Flupenthixol and its esters
Fluperolone acetate
Fluphenazine Decanoate Injection
Fluphenazine and its salts and esters
Fluprednisolone
Fluprostenol sodium salt
Flurandrenolone
Flurazepam and its salts
Flurbiprofen
Fluroxene
Fluspirilene
Flutamide
Folinic acid and its salts

Fosfestrol tetrasodium
Framymycetin and its salts
Frusemide Injection and Tablets
Furaltadone
Furazolidaone
Fusafungine
Fusidic acid and its salts
Gallamine triethiodine
Gastronol hexanoate
Gentamicin Injection
Centamicin sulphate
Gestronol
Glibenclamide Tablets
Glibornuride
Glipizide
Gliquidone
Glycopyrronium bromide
Glymidine
Gonadorelin
Gonadotropin Sabadilla
Human Growth hormone
Guanethidine monosulphate
Guanoclor sulphate
Guanoxan sulphate
Hachimycin
Halcinonide
Halofenate
Haloperidol
Halquinol except in medicines for external use
Heparin
Hepatitis B Vaccine
Hexachlorophane except in medicines containing 3 percent
Hexamethonium
Hexamethonium and its salts
Hexamine phenyl cichoninate
Hexetidine

Hexabendine and its salts Hexoprenaline and its salts Histamine Homatropine Methylbromide Hydantoin and it derivatives, except allantoin Hydragraphen except in medicines for external use Hydralazine Hydrobromic acid Hydrobromic acid Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyphenamate Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibuterol and its salts Idoxusidine Inforfamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hexetidine except in medicine for external use
Hexoprenaline and its salts Histamine Homatropine Methylbromide Hydantoin and it derivatives, except allantoin Hydragraphen except in medicines for external use Hydralazine Hydrobromic acid Hydrochlorothiazide Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyurea Hypothalamus, the active principles of Ibufenac Ibuterol and its salts Idoxusidine Infosfamide Ignatius bean Imipramine Indapamide hemihydrate Idorenthacin Idorenthacin Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hexabendine and its salts
Histamine Homatropine Methylbromide Hydantoin and it derivatives, except allantoin Hydralazine Hydralazine Hydrobromic acid Hydrochlorothiazide Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyphenamate Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Ibuterol and its salts Idoxusidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idorethacin Idorethacin Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hexoestrol
Homatropine Methylbromide Hydantoin and it derivatives, except allantoin Hydragraphen except in medicines for external use Hydralazine Hydrobromic acid Hydrochlorothiazide Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroxyphenamate Hydroxyzine and its salts Hydroxyzine and its salts Hypothalamus, the active principles of Ibufenac Iousuidine Idoxusidine Idoxusidine Indepamide hemihydrate Idomethacin Idoramin and its salts Idoramin and its salts Idoramin and its salts	Hexoprenaline and its salts
Hydantoin and it derivatives, except allantoin Hydragraphen except in medicines for external use Hydralazine Hydrobromic acid Hydrobronide Hydrochlorothiazide Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyzine and its salts Hydroxyzine and its salts Hydroxyzine and its salts Hydroxyzine and its salts Idoxusidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idoramin and its salts Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Histamine
Hydragraphen except in medicines for external useHydralazineHydrobromic acidHydrobronideHydrochlorothiazideHydrocortisone and its salt except in topical preparation containing 1% or less8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external useHydroflumethiazideHydroxyphenamateHydroxyine and its saltsHydroxyine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineInfosfamideIgnatius beanImipramineIndapamide hemihydrateIdorenta and its saltsIdorenta and Coryza vaccinesIdothiouracilIothyronines Sodium	Homatropine Methylbromide
HydralazineHydralazineHydrobromic acidHydrobronideHydrochlorothiazideHydrocortisone and its salt except in topical preparation containing 1% or less8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external useHydroffumethiazideHydroxyphenamateHydroxyzine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydantoin and it derivatives, except allantoin
Hydrobromic acid Hydrobronide Hydrochlorothiazide Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroxyphenamate Hydroxyzine and its salts Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Iousidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idorethacin Idorethacin Idorethacin Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hydragraphen except in medicines for external use
HydrobronideHydrochlorothiazideHydrocortisone and its salt except in topical preparation containing 1% or less8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external useHydrofflumethiazideHydroxyphenamateHydroxyureaHydroxyzine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoroffenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydralazine
HydrochlorothiazideHydrocortisone and its salt except in topical preparation containing 1% or less&-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external useHydroflumethiazideHydroxyphenamateHydroxyureaHydroxyzine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdorofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydrobromic acid
Hydrocortisone and its salt except in topical preparation containing 1% or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyurea Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Ibuterol and its salts Idoxusidine Idosusidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hydrobronide
or less 8-hydroxyquinoline and its halogenated and alkyl derivatives and their salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyphenamate Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Ibuterol and its salts Idoxusidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hydrochlorothiazide
salts except in medicines for external use Hydroflumethiazide Hydroxyphenamate Hydroxyphenamate Hydroxyzine and its salts Hymoleptic medicines Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Ibufenac Ibuterol and its salts Idoxusidine Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	
HydroxyphenamateHydroxyureaHydroxyzine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdornethacinIdoramin and its saltsIdothiouracilIdothiouracilIothyronines Sodium	
HydroxyureaHydroxyzine and its saltsHymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydroflumethiazide
Hydroxyzine and its salts Hymoleptic medicines Hypothalamus, the active principles of Ibufenac Ibuterol and its salts Idoxusidine Idostamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hydroxyphenamate
Hymoleptic medicinesHypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydroxyurea
Hypothalamus, the active principles ofIbufenacIbuterol and its saltsIdoxusidineIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hydroxyzine and its salts
IbufenacIbuterol and its saltsIdoxusidineIdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Hymoleptic medicines
Ibuterol and its salts Idoxusidine Idosfamide Ifosfamide Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Hypothalamus, the active principles of
IdoxusidineIfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Ibufenac
IfosfamideIgnatius beanImipramineIndapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Ibuterol and its salts
Ignatius bean Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Idoxusidine
Imipramine Indapamide hemihydrate Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Ifosfamide
Indapamide hemihydrateIdomethacinIdoprofenIdoramin and its saltsInfluenza and Coryza vaccinesIdothiouracilIothyronines Sodium	Ignatius bean
Idomethacin Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Imipramine
Idoprofen Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Indapamide hemihydrate
Idoramin and its salts Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Idomethacin
Influenza and Coryza vaccines Idothiouracil Iothyronines Sodium	Idoprofen
Idothiouracil Iothyronines Sodium	Idoramin and its salts
Iothyronines Sodium	Influenza and Coryza vaccines
	Idothiouracil
Ipratropium bromide	Iothyronines Sodium
	Ipratropium bromide

Iprindole and its salts
Iproniazid and its salts and esters
Isoaminiles and its salts
Insocarboxazid
Isoconazole and its salts except in dermatological medicines
Isoetharine
Isoflurane
Isonazid and its salts and esters
Isoprenaline and its salts in medicines for inhalation or for parenteral use
Isopromide iodide
Isotretinoin
Isoxicam
Isoxsuprine and its salts
Jaborandi
Kanamycin and its salts
Ketamine
Ketazolam
Ketoconazole
Ketoprofen
Ketotifen
Labetalol and its salts
Lanatoside
Lead and its salts and oxides
Levallorphan
Levodopa
Levonorgestrel
L-Histidine hydrochloride
Lidoflazine
Lignocaine except in topical preparations
Lincomycin
Lithium
Lithoyronine sodium
Lofepramine hydrochloride
Lomustine
Loprazolam

Lorazepam
Lormetazepam and its salts
Loxapine and its salts
Luteinising hormone
Lymecycline
Lynoestrenol
Lypressin
Magenta except in medicines for external use
Magnesium fluroride
Maldison, except in medicines containing 2 percent or less of maldison
Mandragora autumnalis
Mannomustine and its salts
Maprotiline and its salts
Measles Virus Vaccine
Mebanazine
Mebeverine and its salts
Mebutamate
Mecamylamine and its salts
Mecillinam and its salts
Meclocycline and its salts
Meclofenamate and its salts
Medigion
Medroxy Progesterone
Medrysone
Megestrol
Melphalan
Menotrophin
Mepenzolate bromide
Mephenesin
Mephentermine and its salts
Mepindolol and its salts
Mepiracaine hydrochloride
Mequitazine
Mercaptomerin and its salts
Mercaptopurine
Mercury oxides

Mercury, ammoniated
Mercury and its salts and its compounds, except oxides of mercury
Merruside
Mersalyl
Meruderamide
Mesterolone
Mestranol
Metamuric acid
Metaraminol
Metformin
Methacholine
Methacholine and its salts
Methallnestril
Methicillin
Methimazole
Methisazole
Methizene and its salts
Methocarbamol
Methoclopramide
Methohexitone and its salts
Methoin
Methotrexate
Methotrimeprazine and its salts
Methoxsalen
Methoxyflurane
Methsuximide
Methyclothiazide
Methy Ergometrine Maleate
Methyl Prednisolone
Methyl Testosterone
Methyl Thiouracil
Methyldopa
Methlpentymol and its derivatives
Methysergide and its salts
Metoprolol
Metriphonate
05

Metrizamide
Metronidazole
Metyrapone and its salts
Mexiletine and its salts
Mezlocillin and its salts
Mianserin
Midazolam
Minocycline
Molindone and its salts
Monoamine oxidase inhibitors
Monobenzole
Moperson and its salts
Morazone and its salts
Motretinide
Mersalyl
Meruderamide
Mesterolone
Mestranol
Metamuric acid
Metaraminol
Metformin
Methacholine
Methacholine and its salts
Methallnestril
Methicillin
Methimazole
Methisazole
Methizene and its salts
Methocarbamol
Methoclopramide
Methohexitone and its salts
Methoin
Methotrexate
Methotrimeprazine and its salts
Methoxsalen
Methoxyflurane
<u></u>

Methylothiazide Methyl Ergometrine Maleate Methyl Prednisolone Methyl Testosterone Methyl Testosterone Methyl Thiouracil Methyl Thiouracil Methyl Thiouracil Methyl Testosterone Methyl Thiouracil Methyl Testosterone Metrizamide Messiletine and its salts Monoamine oxidase inhibitors Monoamine oxidase inhibitors Morecole Morreninde Morzen and its salts Motretinide Moxalactam and its salts	Methsuximide
Methyl Prednisolone Methyl Testosterone Methyl Thiouracil Methyl Thiouracil Methylpentymol and its derivatives Methylpentymol and its derivatives Methylsergide and its salts Metoprolol Metrizamide Metronidazole Metyrapone and its salts Mezicillin and its salts Mianserin Midazolam Minocycline Monoamine oxidase inhibitors Monobenzole Morzone and its salts Morzone and its salts Morzone and its salts Motretinide Moxalactam and its salts Motretinide Nadolol Naftideofuryl Oxalate Naftideofuryl Oxalate Naftideofuryl and its salts Nalbuphine and its salts Nalbuphine Nalozone Nalidixic Acid Nalozone Nalozone Nalozone Nalozone Nalozone Nalozone and its esters	Methyclothiazide
Methyl Testosterone Methyl Thiouracil Methyl Thiouracil Methylpentymol and its derivatives Methysergide and its salts Metoprolol Metrizamide Metronidazole Metyrapone and its salts Mezlocillin and its salts Miaserin Midazolam Minocycline Monoamine oxidase inhibitors Monobenzole Morzone and its salts Motretinide Moxalactam and its salts Mathideofuryl Oxalate Naftideofuryl Oxalate Naftideofuryl and its salts Nalbuphine and its salts Nalidixic Acid Nalorphine Naloxone Nalorphine Nalorphine Nalorphine Nalorphine Naltrexone hydrochloride	Methyl Ergometrine Maleate
Methyl Thiouracil Methyldopa Methylpentymol and its derivatives Methysergide and its salts Metoprolol Metrizamide Metronidazole Metyrapone and its salts Mezlocillin and its salts Mianserin Midazolam Minocycline Molindone and its salts Monoamine oxidase inhibitors Monobenzole Mozrone and its salts Motretinide Moxalactam and its salts Matileofuryl Oxalate Nafideofuryl Oxalate Nalibuphine and its salts Nalicix Acid Nalorphine Nalorphine Nalorphine Nalorone and its salts	Methyl Prednisolone
Methyldopa Methylpentymol and its derivatives Methysergide and its salts Metoprolol Metrizamide Metronidazole Metyrapone and its salts Mezlocillin and its salts Mezlocillin and its salts Mianserin Midazolam Moindone and its salts Monoamine oxidase inhibitors Monobenzole Morzone and its salts Motretinide Moxalactam and its salts Matileofuryl Oxalate Naftideofuryl Oxalate Nalbuphine and its salts Nalbuphine and its salts Nalozone Nalozone and its esters	Methyl Testosterone
Methylpentymol and its derivatives Methysergide and its salts Metoprolol Metrizamide Metronidazole Metronidazole Metyrapone and its salts Mezlocillin and its salts Mezlocillin and its salts Mianserin Midazolam Minocycline Molindone and its salts Monobenzole Morzone and its salts Morzone and its salts Motretinide Moxalactam and its salts Mstine and its salts and its derivatives Nadolol Naftideofuryl Oxalate Nalfideofuryl and its salts Nalidixic Acid Naloxphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Methyl Thiouracil
Methysergide and its salts Metoprolol Metrizamide Metronidazole Metronidazole Metyrapone and its salts Maxiletine and its salts Mezlocillin and its salts Mianserin Midazolam Minocycline Molindone and its salts Monoamine oxidase inhibitors Monobenzole Morzone and its salts Morzone and its salts Motretinide Moxalactam and its salts Mathie and its salts Nadolol Naftideofuryl Oxalate Naftideofuryl and its salts Nalbuphine and its salts Nalitixic Acid Naloxone Naltrexone hydrochloride Nandrolone and its esters	Methyldopa
MetoprololMetrizamideMetronidazoleMetronidazoleMetyrapone and its saltsMexiletine and its saltsMezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMotretinideMotalactam and its saltsMadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloroneNaltrexone hydrochlorideNadrolone and its esters	Methylpentymol and its derivatives
MetrizamideMetronidazoleMetyrapone and its saltsMexiletine and its saltsMezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMotretinideMoxalactam and its saltsMstine and its saltsMotretinideNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNalorone and its saltsNaltrexone hydrochlorideNadrolone and its esters	Methysergide and its salts
MetronidazoleMetyrapone and its saltsMexiletine and its saltsMezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMotretinideMotretinideNakalactam and its saltsNatifiedofuryl OxalateNaftideofuryl OxalateNalbuphine and its saltsNalidixic AcidNalorphineNalorphineNaltrexone hydrochlorideNandrolone and its esters	Metoprolol
Metyrapone and its saltsMexiletine and its saltsMezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalorphineNaloxoneNaltrexone hydrochlorideNatrexone hydrochloride	Metrizamide
Mexiletine and its saltsMezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalophineNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Metronidazole
Mezlocillin and its saltsMianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Metyrapone and its salts
MianserinMidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNalozoneNalozoneNaltrexone hydrochlorideNandrolone and its esters	Mexiletine and its salts
MidazolamMinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Mezlocillin and its salts
MinocyclineMolindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Mianserin
Molindone and its saltsMonoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNadrolone and its esters	Midazolam
Monoamine oxidase inhibitorsMonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Minocycline
MonobenzoleMopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNaloroneNaltrexone hydrochlorideNandrolone and its esters	Molindone and its salts
Mopersone and its saltsMorzone and its saltsMotretinideMoxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Monoamine oxidase inhibitors
Morzone and its salts Motretinide Moxalactam and its salts Mstine and its salts and its derivatives Madolol Naftideofuryl Oxalate Naftideofuryl and its salts Nalbuphine and its salts Nalbuphine and its salts Nalidixic Acid Nalorphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Monobenzole
MotretinideMoxalactam and its saltsMstine and its salts and its derivativesMadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Mopersone and its salts
Moxalactam and its saltsMstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Morzone and its salts
Mstine and its salts and its derivativesNadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloroneNaltrexone hydrochlorideNandrolone and its esters	Motretinide
NadololNaftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Moxalactam and its salts
Naftideofuryl OxalateNaftideofuryl and its saltsNalbuphine and its saltsNalidixic AcidNalorphineNaloxoneNaltrexone hydrochlorideNandrolone and its esters	Mstine and its salts and its derivatives
Naftideofuryl and its salts Nalbuphine and its salts Nalidixic Acid Nalorphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Nadolol
Nalbuphine and its salts Nalidixic Acid Nalorphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Naftideofuryl Oxalate
Nalidixic Acid Nalorphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Naftideofuryl and its salts
Nalorphine Naloxone Naltrexone hydrochloride Nandrolone and its esters	Nalbuphine and its salts
Naloxone Naltrexone hydrochloride Nandrolone and its esters	Nalidixic Acid
Naltrexone hydrochloride Nandrolone and its esters	Nalorphine
Nandrolone and its esters	Naloxone
	Naltrexone hydrochloride
Natamycin except in topical preparation	Nandrolone and its esters
	Natamycin except in topical preparation

N-Benzoyl sulphaninlamide
Nefopam and its salts
Neomycin
Neostigmine and its salt
Netilmicin
Neuromuscular blocking medicines
Nialamide
Nicofuranose
Nicoumalone
Nifedipine
Nifenazone
Nikethamide
Nimorazole and its salts
Niridazole
Nitrazepam
Nitrofurantoin
Nitrogen mustard and its salts and its derivatives
Nitroxoline
Nomifensine and its salts
Noradrenalina Acid Tartrate
Noradrenaline
Norethandrolone
Norethisterone
Norethynodrel
Norfloxacin
Norgestrel
Nortriptyline and its salts
Novobiolin
Noxiptyline and its salts
Nuxvomica Seed
Octalosactoin
Octamylamine and its salts
Oestradiol
Oestriol
Oestriol Di-Henu Sucuinade
Oestrogens

Opipramol and its saltsOral diureticsOrciprenalineOrnipressinOrphenadrine and its saltsOrthocaineOuabainOxamniguineOxandroloneOxantei PamoateOxacepamOxedrine tartrateOxedrine tartrateOxolanineOxolanineOxolanineOxolanineOxpentifyllineOxypentoloneOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxyphenolum BromideOxytocinPancuronium and its saltsParamethadioneParam	Oestrones
OrciprenalineOrnipressinOrphenadrine and its saltsOrthocaineOuabainOxamiguineOxandroloneOxantei PamoateOxactei PamoateOxedrine tartrateOxedrine tartrateOxolinic acidOxpentifyllineOxpurtoloneOxypertolol and its saltsOxypertololOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypenolul and its setersOxypertineOxpretineOxpertineOxpretinineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpretineOxpre	Opipramol and its salts
OrnipressinOrphenadrine and its saltsOrthocaineOuabainOuabainOxanniguineOxandroloneOxantei PamoateOxazepamOxedrine tartrateOxedrine tartrateOxedrine caidOxolamineOxpentifyllineOxprenolol and its saltsOxypentolol and its saltsOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxyphenolutazoneOxyphenonium BromideOxytetracyclineOxytetracyclineParaumiobenzene sulphonamideParamethadioneParamethadioneParamethadioneParathyroid Gland	Oral diuretics
Orphenadrine and its saltsOrthocaineOuabainOxamiguineOxandroloneOxantei PamoateOxazepamOxedrine tartrateOxedrine tartrateOxelazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxprentol and its saltsOxypertoreOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxypertineOxyphenolutazoneOxyphenonium BromideOxytetracyclineOxytetracyclineParaumiobenzene sulphonamideParamethadioneParamethadioneParamethadioneParathyroid Gland	Orciprenaline
OrthocaineOuabainOxamiguineOxandroloneOxantei PamoateOxazepamOxedrine tartrateOxedrine tartrateOxeltazaine and its saltsOxolinic acidOxpentifyllineOxpentifyllineOxybuprocaineOxypertine HydrochlorideOxypertine HydrochlorideOxyphenbutazoneOxyphenonium BromideOxytetracyclineOxytetracyclineOxytetracyclineParauronium and its saltsParamethasone AcetateParathyroid Gland	Ornipressin
OusbainOuabainOxanniguineOxandroloneOxandroloneOxantei PamoateOxazepamOxedrine tartrateOxedrine tartrateOxedrine tartrateOxolamineOxolinic acidOxpentifyllineOxpentol and its saltsOxybuprocaineOxypertineOxypertineOxypertineOxyphenbutazoneOxyphenonium BromideOxytetracyclineOxytetracyclineOxytetracyclineParaunobezene sulphonamideParamethadioneParamethadioneParamethadioneParathyroid Gland	Orphenadrine and its salts
OxamiguineOxandroloneOxandroloneOxantei PamoateOxazepamOxedrine tartrateOxethazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxpentifyllineOxybuprocaineOxymetholoneOxypertineOxyphenbutazoneOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytetracyclinePancuronium and its saltsParamethadioneParamethadioneParamethadioneParamethadioneParathyroid Gland	Orthocaine
OxandroloneOxantei PamoateOxazepamOxedrine tartrateOxedrine tartrateOxethazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxprenolol and its saltsOxybuprocaineOxypertineOxypertineOxypertineOxyphenbutazoneOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytetracyclinePancuronium and its saltsPara aminobenzene sulphonamideParamethadioneParamethadioneParamethadioneParamethadioneParathyroid Gland	Ouabain
Oxantei PamoateOxazepamOxedrine tartrateOxethazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxprenolol and its saltsOxybuprocaineOxymetholoneOxypertineOxyphenbutazoneOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytetracyclinePara aminobenzene sulphonamideParamethadioneParamethadioneParamethasone AcetateParathyroid Gland	Oxamniguine
OxazepamOxedrine tartrateOxethazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxpentifyllineOxybuprocaineOxymetholoneOxypertineOxyphenbutazoneOxyphencyclimineOxyphenonium BromideOxytetracyclineOxytetracyclineParaunobenzene sulphonamideParamethadioneParamethasone AcetateParathyroid GlandParathyroid Gland	Oxandrolone
Oxedrine tartrateOxethazaine and its saltsOxolamineOxolinic acidOxpentifyllineOxprenolol and its saltsOxybuprocaineOxymetholoneOxypertineOxypertineOxyphenbutazoneOxyphenoium BromideOxyphenoium BromideOxytetracyclineOxytetracyclinePancuronium and its saltsParamethadioneParamethasone AcetateParathyroid Gland	Oxantei Pamoate
Oxethazaine and its saltsOxcolamineOxolinic acidOxpentifyllineOxpentifyllineOxybuprocaineOxymetholoneOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphenisatin and its estersOxyphenonium BromideOxytetracyclineOxytetracyclineParaunonium and its saltsParamethadioneParamethadioneParamethasone AcetateParathyroid Gland	Oxazepam
OxolamineOxolinic acidOxpentifyllineOxprenolol and its saltsOxybuprocaineOxybuprocaineOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenonium BromideOxytetracyclineOxytetracyclineParaunobenzene sulphonamideParamethadioneParamethasone AcetateParathyroid Gland	Oxedrine tartrate
Oxolinic acidOxpentifyllineOxprenolol and its saltsOxybuprocaineOxybuprocaineOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenonium BromideOxytetracyclineOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethasone AcetateParathyroid Gland	Oxethazaine and its salts
OxpentifyllineOxprenolol and its saltsOxybuprocaineOxybuprocaineOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytetracyclinePancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethasone AcetateParathyroid Gland	Oxolamine
Oxprenolol and its saltsOxybuprocaineOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphencyclimineOxyphenonium BromideOxytetracyclineOxytetracyclineParauronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxolinic acid
OxybuprocaineOxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehyde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxpentifylline
OxymetholoneOxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphencyclimineOxyphenonium BromideOxypteracyclineOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehyde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxprenolol and its salts
OxypertineOxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenisatin and its estersOxyphenonium BromideOxytetracyclineOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehyde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxybuprocaine
Oxypertine HydrochlorideOxyphenbutazoneOxyphencyclimineOxyphenisatin and its estersOxyphenonium BromideOxytetracyclineOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParamethadioneParathyroid Gland	Oxymetholone
OxyphenbutazoneOxyphencyclimineOxyphenisatin and its estersOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxypertine
OxyphencyclimineOxyphenisatin and its estersOxyphenonium BromideOxyphenonium BromideOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParathyroid Gland	Oxypertine Hydrochloride
Oxyphenisatin and its estersOxyphenonium BromideOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParamethasone AcetateParathyroid Gland	Oxyphenbutazone
Oxyphenonium BromideOxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadioneParamethasone AcetateParathyroid Gland	Oxyphencyclimine
OxytetracyclineOxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethadoneParamethasone AcetateParathyroid Gland	Oxyphenisatin and its esters
OxytocinPancuronium and its saltsPara aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethasone AcetateParathyroid Gland	Oxyphenonium Bromide
Pancuronium and its salts Para aminobenzene sulphonamide Paraldehvde except in medicines containing 1 percent or less of paraldehyde Paramethadione Paramethasone Acetate Parathyroid Gland	Oxytetracycline
Para aminobenzene sulphonamideParaldehvde except in medicines containing 1 percent or less of paraldehydeParamethadioneParamethasone AcetateParathyroid Gland	Oxytocin
Paraldehvde except in medicines containing 1 percent or less of paraldehyde Paramethadione Paramethasone Acetate Parathyroid Gland	Pancuronium and its salts
paraldehydeParamethadioneParamethasone AcetateParathyroid Gland	Para aminobenzene sulphonamide
Paramethasone Acetate Parathyroid Gland	
Parathyroid Gland	Paramethadione
	Paramethasone Acetate
Pargyline Hydrochloride	Parathyroid Gland
	Pargyline Hydrochloride

Pecazine
Pacazine and its salts
Pemoline
Pempidine and its salts
Penamecillin
Penicillamine
Penicillamine and its salts
Pentazocine
Penthienate Metho Bromide
Pentifylline
Pentolinium and its salts
Perhexiline and its salts
Percyazine
Perilocin
Perphenazine and its salts
Phenacetin
Phenaglycodol
Phenazone
Phenazone and Cafteine Citrate
Phenazone Sali Cylate
Phebutrazate Hydrochloride
Phenelzine
Phenethicillin Potassium
Phenformin
Phenglutarimide and its salts
Phenindione
Phenisatin
Phenothiazine
Phenoxy Benzamine Hydro Chloride
Phenoxybenzamine and its salts
Phenoxymethyl penicillin
Phenprocoumon
Phensuximide
Phentolamine
Phenyl propanolamine
Phenylbutazone
79

tamide
iazole
l its salts
chloride
e
e and its salts
ide
ne Sulphate
ochloride
itate
salts
s salts
tract
en Maleate
alts
odichloride
cine
lphate
salts
ine
its esters
salts except in topical preparations
salts ine its esters

Polyoestradiol Phosphate
Polythiazide
Potassium Arsenate
Potassium Bromide
Potassium Perchlorate
Practolol
Pralidoxime
Prazepam
Prazosine
Prednisolone
Prednisone
Prenalterol and its salts
Prenylamine lactate
Prilocaine
Primidone
Probucol
Procainamide
Procaine Hydrochloride
Procaine Penicillin
Procarbazine
Prochloperazine
Procyclidine
Progestogens
Proglumide and its salts
Prolactin
Proligestone
Prolintane and its salts
Promazine
Promoxolane
Propanidid
Propantheline Bromide
Proparidid
Propranolol
Propylhexedrine and its salts
Propylthiouracil
Proquazone

Proscillaridin	
Prostaglandin	
Protamine sulphate except in insulins	
Prothionade	
Prothipendyl	
Protoveratrines	
Protriphyline	
Protriphyline and its salts	
Proxymetacaine Hydrochloride	
Psychomotor stimulants	
Pyrazinamide	
Pyridinolcarbamate	
Pyridostigmine	
Quazepam	
Quinestradol	
Quinestrol	
Quinethazone	
Quingestaniol	
Quinidine	
Quinidine Bisulphate	
Quinidine Phenylethyl Barbitrate	
Quinidine Polygalaturonate	
Rabies vaccine	
Rauwolfia species and alkaloids of rauwolfia and their salts	
Razoxane	
Reniterol HBV	
Reprotherol and its salts in medicines for inhalation or for paren use	iteral
Rescinnamine	
Reserpine	
Rifampicin	
Rifamycin	
Ritodrine and its salts	
Rolitetracycline and its salts	
Rosoxacin	
Rubella vaccine	

Salcatonin
Salmefame
Salsalate
Serum Gonadotropin
Sisomycin
Sodium Antimonygluconate
Sodium Fusidate
Sodium Monofluoro phosphate
Sodium Stibogluconate
Sodium Amino Salicylate
Sodium Arsatrilate
Sodium Arsenate
Sodium Arsenite
Sodium bromide
Sodium calcium edetate
Sodium chromoglycate
Sodium Ethacrynate
Sodium nitroprusside
Sodium polystyrene sulphonate
Sodium valproate
Solcoseryl
Sotalol Hydrochloride
Sparteine and its salts and its derivatives
Spectinomycin
Spiramycin
Spiramycin Adipate
Spironolactone
Stanolone
Stanozolol
Stilboestrol
Streptodornase
Streptokinase
Streptomycin Sulphate
Streychnine Arsenate
Strontium bromide
Strophanthin

Strychimine Hydrochloride
Strychnine
Styramate
Succinyl Sulphathiazole
Sulfacytine
Sulfadoxine
Sulfamono methoxine
Sulindac
Sulphacetamide and its salts except in eye preparations
Sulphadiazine and its salts
Sulphadimethoxine
Sulphadimidine and its salts
Sulphafurazole and its salts
Sulphaguanidine
Sulphaloxic Acid
Sulphamerazine and its salts
Sulphamethizole
Sulphamethoxydiazine
Sulphamethoxypyridazine
Sulphametrole
Sulphametroxazole
Sulphamoxole
Sulphanilamide
Sulphapyridine and its salts
Sulphasalazine
Sulphathiazole and its salts
Sulphaurea
Sulphinpyrazone
Sulphone and alkyl sulphonais
Sulphonamide derivatives for use as oral diuretics
Sulpiride
Sultametopylazine
Sulthiame
Suphaphenazole and its derivatives
Suprofen
Sutilains except in medicines for external use

Suxamethonium and its salts
Suxethonium and its salts
Tacrine and its salts
Talampicillin
Talampicillin Hydrochloride
Talampicillin Napsylate
Tamoxifen and its salts
Temazepam
Teniposide
Terbutaline and its salts except in formulation for inhalation
Testosterone and its esters
Tetanus antitoxin
Tetanus toxoid
Tetrabenazine
Tetracosactrin and its salts
Tetracycline and its salts
Tetraethylammonium salts
Tetroxoprim
Thallium Acetate
Thiambutosine
Thiazide derivatives
Thiethylperazine and its salts
Thiobarbituric acid and its salts
Thiocarlide
Thioguanine
Thiopentone and its salts
Thiopropazate and its salts
Thioproperazine and its salts
Thioridazine and its salts
Thiosinamine
Thiotepa
Thiouracil
Thrombin, dried human
Thymoxamine Hydrochloride
Tyroid and its synthetic derivatives and their salts
Thyrotrophin

Throxine and its salts
Tiamterene
Tiamuline Fumarate
Tiaprofenic acid and its salts
Tiaramide and its salts
Ticarcillin and its salts
Tigloidine Hydrobromide
Tiletamine and its salts
Tinidazole
Tioconazole in medicines for intra-vaginal use
Tobramycin and its salts
Tocainide and its salts
Tofenaum Hydro-chloride
Tolazamide
Tolazoline and its salts
Tolbutamide and its salts
Tolmetin and its salts
Tranexamic acid and its salts and esters
Tranylcypromine and its salts
Trazodone
Treosulphan
Tretamine
Triacetyloleandomycin
Triaziquone
Triclofos Sodium
Triazine derivatives for use as oral diuretics
Triazolam
Tribromoethyl alcohol
Trichlormethiazide
Trichloroethylene
Trilostane
Triethylene thiophosphoramide
Trifluoperazine and its salts
Trifluperidol
Triflupromazine
Trilostane

Trimcinolone and its salts
Trimeprazine and its salts
Trimetaphan and its salts
Trimethoprim
Trioxsalen
Triperidol
Triple antigen
Trmipramine and its salts
Tropicamide
Troxidone
Tryptophan
Tubocurarine and its salts
Tulobutero and its salts in medicines for inhalations
Tylosin
Tyrothrium
Urokinase
Uramustine
Urea Stibamine
Urethane
Uridine 5-triphosphoric acid
Vaccines
Valproic acid
Vancomycin
Vasopressin
Vasopressin tannate
Vecuronium bromide
Verapamil
Veratrine
Veratrum
Vidarabine
Viloxazine
Vinblastine
Vincristine
Vindesine
Vinyl ether
Viomycin Panthothenate

Viomycin sulphate
Warfarin
Warfarin sodium
Xanthinol nicotine
Xipamide
Xylazine Hydrochloride
Yohimbine Hydrochloride
Zimeldine
Zoxazolamine
Any new drug not yet listed by the Pharmacy Board.

SCHEDULE 4 – **.** PHARMACY ONLY MEDICINESS.

PHARMACY ONLY MEDICINESS.
Act. Sec. 8
Reg. Sec. 50
Acetanilide
Acetic Acid
Acetomenaphthone
Acetyclysteine
Aconite
Acriflavine
Acyclovir and its salts
Adrenaline and its salts
Albendazole
Alcohol, absolute
Alcohol, isopropyl
Aloes
Aloin
Aloxprin
Aluminium Acetate
Aluminium Chloride
Aluminium hydroxide
Aluminium Subacetate
Aluminium sulphate
Aminacrine
Aminophylline
Ammonium mandelate
Ammonium chloride
Amodiaquine
Amyl nitrite
Amyldimethlamino benzoate
Anhydrous Ianolin or mineral oil or hydrocortisone
Antazoline
Aretusnate tablets
Aspirin
Astemizole
Atropine
82

Belladonna Benorylate Bentiromide Benzocaine Benzoic Acid Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bisacodyl Bismuth Carbonate Bismuth Carbonate Bismuth Oxide Bismuth Subgallate Bismuth Subgallate Boroic Acid Boroic Acid Brochodilators Bromhexine Broxaldine Broxyquinoline Broxyquinoline Broxyquinoline Broxyquinoline Brucine Buclosamide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuin Sulphide Calcium-hypochlorite Calamine Calacium-salicylate	Bacitracin and its salts in topical preparations	
Benorylate Benorylate Bentiromide Benzocaine Benzoic Acid Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bisacodyl Bisamuth Carbonate Bisamuth Carbonate Bismuth Oxyquinolinate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subgallate Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine Broxyquinoline Broxyquinoline Buclosamide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium-salicylate	Bamifylline hydrochloride	
Bentiromide Benzocaine Benzoic Acid Benzoyl benzoate Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bisacodyl Bismuth Carbonate Bismuth Carbonate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Borates Borates Borachdilators Bromhexine Prompheniramine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuin Sulphide Calcium mandelate Calamine Calcium-salicylate	Belladonna	
Benzocaine Benzoic Acid Benzoyl benzoate Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bismuth Carbonate Bismuth Carbonate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subnitrate Borates Boric Acid Brochodilators Bromhexine Bromhexine Bromhexine Broxaldine Broxyquinoline Brucine Buclosamide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadamine Calcium mandelate Calamine Calcium-spochlorite Calcium-spochlorite Calcium-salicylate	Benorylate	
Benzoic Acid Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bismuth Carbonate Bismuth Carbonate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subgallate Borates Borates Boric Acid Brochodilators Bronhexine Bronhexine Bromhexine Bromheniramine Broxaldine Broxyquinoline Broxyquinoline Buclosamide Buclosamide Butoxyethyl nicotinate Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmine Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bentiromide	
Benzoyl benzoate Benzoyl benzoate Bephenium Hydroxynaphthoate Bisacodyl Bismuth Carbonate Bismuth Carbonate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subgallate Borates Borates Boric Acid Brochodilators Bromhexine Bromhexine Bromhexine Broxaldine Broxaldine Broxyquinoline Brucine Buclosamide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-spochlorite Calcium-salicylate	Benzocaine	
Bephenium Hydroxynaphthoate Bisacodyl Bismuth Carbonate Bismuth Oxide Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subgallate Borates Boric Acid Brochodilators Bromhexine Bromhexine Broxaldine Broxyquinoline Brucine Buclosamide Butoxyethyl nicotinate Butyl aminobenzoate picrate Calcium mandelate Calcium-hypochlorite Calcium-hypochlorite	Benzoic Acid	
Bisacodyl Bismuth Carbonate Bismuth Oxyquinolinate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subnitrate Borates Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxaldine Broxyquinoline Brucine Buclosamide Buclosamide Budesonide Butoxyethyl nicotinate Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Benzoyl benzoate	
Bismuth Carbonate Bismuth Oxide Bismuth Oxyquinolinate Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subnitrate Borates Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bephenium Hydroxynaphthoate	
Bismuth Oxide Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subgallate Bismuth Subnitrate Borates Borates Boric Acid Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium-hypochlorite Calcium-salicylate	Bisacodyl	
Bismuth Oxyquinolinate Bismuth Subgallate Bismuth Subnitrate Borates Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium-hypochlorite Calcium-hypochlorite Calcium-salicylate	Bismuth Carbonate	
Bismuth Subgallate Bismuth Subnitrate Borates Boric Acid Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium-hypochlorite Calcium-hypochlorite Calcium-salicylate	Bismuth Oxide	
Bismuth Subnitrate Borates Borates Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxaldine Broxyquinoline Buclosamide Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bismuth Oxyquinolinate	
Borates Borates Boric Acid Brochodilators Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calaimne Calcium-hypochlorite Calcium-salicylate	Bismuth Subgallate	
Boric Acid Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Broxyquinoline Buclosamide Buclosamide Budesonide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bismuth Subnitrate	
Brochodilators Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Budesonide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Borates	
Bromhexine Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Broxyquinoline Brucine Buclosamide Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Boric Acid	
Bromhexine hydrochloride Prompheniramine Broxaldine Broxyquinoline Broxyquinoline Buclosamide Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Brochodilators	
Prompheniramine Broxaldine Broxyquinoline Brucine Buclosamide Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bromhexine	
Broxaldine Broxyquinoline Broxyquinoline Brucine Buclosamide Budesonide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Bromhexine hydrochloride	
Broxyquinoline Brucine Buclosamide Budesonide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Prompheniramine	
Brucine Buclosamide Budesonide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calcium-hypochlorite Calcium-salicylate	Broxaldine	
Buclosamide Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Broxyquinoline	
Budesonide Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Brucine	
Butoxyethyl nicotinate Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Buclosamide	
Butyl aminobenzoate picrate Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Budesonide	
Cadmuim Sulphide Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Butoxyethyl nicotinate	
Calcium mandelate Calamine Calcium-hypochlorite Calcium-salicylate	Butyl aminobenzoate picrate	
Calamine Calcium-hypochlorite Calcium-salicylate	Cadmuim Sulphide	
Calcium-hypochlorite Calcium-salicylate	Calcium mandelate	
Calcium-salicylate	Calamine	
	Calcium-hypochlorite	
Carbetapentane	Calcium-salicylate	
	Carbetapentane	

Catechu Cetyl pyridinium chloride Chlorcyclizine Chlorhexidine Chloroform
Chlorcyclizine Chlorhexidine
Chlorhexidine
Chloroform
Chloroquine Phosphate
Chloroquine Sulphate
Chlorphenesin
Cholestyramine
Choline Theophyllinate
Chorbutol
Chorpheniramine maleate
Chromium trioxide
Ciclopirox olamine
Clemizole
Clioquinol
Coaltar
Colchicine
Cold sore balm
Colloidal bismuth subcitrate
Colocynth
Coniine
Copaiba Balsam
Cotarnine
Cresols
Crotamiton
Crystal violet
Cyanides
Cyanocobalamin
Cyclizine
Cyproheptadine
Ciclopirox olamine 8%
Danthron
Dequalinium
Diamthazole hydrochloride

2,4-dichlorobenzyl alcohol Dichlorophen Dicophane Dicyclomine hydrochloride Diethlcarbamazine Citrate Dimenhydrinate Dioctyl sodium sulphosuccinate Diphenhydramine hydrochloride Diphenylpyraline Dithranol Ephedra Ether Ether Ethyl nicotinate Ethyl nicotinate Ethyl nicotinate Ethyl salicylate Ethyl salicylate Ethyl chloride Fenoterol Fenoterol Fenoterol Fenticlor Ferous sulphate Fibrinolysin Fluorides Floic Acid Formaldehyde Gorma Benzenenhexachloride Gamma Benzenenhexachloride Gilutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Gramicidin Guaiphenesin Haloprogin	Dichlofenthion
Dicophane Dicyclomine hydrochloride Dicyclomine hydrochloride Diothlcarbamazine Citrate Dimenhydrinate Diotyl sodium sulphosuccinate Diphenhydramine hydrochloride Diphenylpyraline Dithranol Ephedra Ether Ether Ether Ethyl nicotinate Ethyl nicotinate Ethyl nicotinate Ethyl salicylate Ethyl chloride Famotidine Fenoterol Fenoterol Fibrinolysin Fluorides Folic Acid Galactose Gamma Benzenenhexachloride Gentian Violet Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Gramicidin Gramicidin Gramicidin Giuatphenesin	2,4-dichlorobenzyl alcohol
Dicyclomine hydrochlorideDiethlcarbamazine CitrateDimenhydrinateDioctyl sodium sulphosuccinateDiphenhydramine hydrochlorideDiphenylpyralineDithranolEphedraEtherEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl chlorideFamotidineFenoterolFenterolForticlorForrous sulphateFluoridesFolic AcidGalactoseGanma BenzenenhexachlorideGutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGramicidinGinseofulvinGuaiphenesin	Dichlorophen
Diethlcarbamazine CitrateDimenhydrinateDioctyl sodium sulphosuccinateDiphenhydramine hydrochlorideDiphenylpyralineDithranolEphedraEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl chlorideFamotidineFenoterolFenticlorForiticlorFluoridesFlooridesFormic AcidGalactoseGama BenzenenhexachlorideGutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGiaachosiGiriseofulvinGuiaphenesin	Dicophane
DimenhydrinateDioctyl sodium sulphosuccinateDiphenhydramine hydrochlorideDiphenhydramine hydrochlorideDiphenylpyralineDithranolEphedraEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl salicylateFornot SulphateFenoterolFerrous sulphateFibrinolysinFluoridesFormic AcidGalactoseGamaa BenzenenhexachlorideGutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGuiaphenesin	Dicyclomine hydrochloride
Dioctyl sodium sulphosuccinate Diphenhydramine hydrochloride Diphenylpyraline Dithranol Ephedra Ether Ether Ethyl nicotinate Ethyl nicotinate Ethyl salicylate Ethyl salicylate Ethyl chloride Famotidine Fenoterol Fenticlor Ferrous sulphate Fibrinolysin Fluorides Folic Acid Formaldehyde Gamaa Benzenenhexachloride Gamaa Benzenenhexachloride Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Guaiphenesin	Diethlcarbamazine Citrate
Diphenhydramine hydrochlorideDiphenylpyralineDithranolEphedraEtherEtherEthyl nicotinateEthyl salicylateEthyl chlorideFamotidineFenoterolFertous sulphateFibrinolysinFluoridesFormaldehydeFormaldehydeGamma BenzenenhexachlorideGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGuaiphenesin	Dimenhydrinate
DiphenylpyralineDithranolEphedraEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl salicylateEthyl chlorideFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFormaldehydeFormaldehydeGalactoseGamma BenzenenhexachlorideGutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGuiaphenesin	Dioctyl sodium sulphosuccinate
DithranolEphedraEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl salicylateEthyl chlorideFamotidineFenoterolFenterolFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeGalactoseGamma BenzenenhexachlorideGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGuaiphenesin	Diphenhydramine hydrochloride
EphedraEtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl salicylateEthyl chlorideFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGraiefulvinGuaiphenesin	Diphenylpyraline
EtherEthyl nicotinateEthyl nicotinateEthyl salicylateEthyl chlorideFamotidineFamotidineFenterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Dithranol
Ethyl nicotinateEthyl salicylateEthyl chlorideFamotidineFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeGalactoseGamma BenzenenhexachlorideGentian VioletGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Ephedra
Ethyl salicylateEthyl salicylateEthyl chlorideFamotidineFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGraiphenesin	Ether
Ethyl chlorideFamotidineFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Ethyl nicotinate
FamotidineFamotidineFenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Ethyl salicylate
FenoterolFenticlorFerrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGraiseofulvinGuaiphenesin	Ethyl chloride
Fenticlor Ferrous sulphate Fibrinolysin Fluorides Folic Acid Formaldehyde Formic Acid Galactose Gamma Benzenenhexachloride Gentian Violet Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Famotidine
Ferrous sulphateFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Fenoterol
FibrinolysinFibrinolysinFluoridesFolic AcidFormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuiaphenesin	Fenticlor
Fluorides Folic Acid Folic Acid Formaldehyde Formic Acid Galactose Gamma Benzenenhexachloride Gentian Violet Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Ferrous sulphate
Folic Acid Formaldehyde Formic Acid Galactose Gamma Benzenenhexachloride Gentian Violet Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Fibrinolysin
FormaldehydeFormic AcidGalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Fluorides
Formic Acid Galactose Gamma Benzenenhexachloride Gentian Violet Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Folic Acid
GalactoseGamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Formaldehyde
Gamma BenzenenhexachlorideGentian VioletGlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Formic Acid
Gentian Violet Glutaraldehyde Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Galactose
GlutaraldehydeGlycerine suppositoryClyceryl TrinitrateGlycol SalicylateGramicidinGriseofulvinGuaiphenesin	Gamma Benzenenhexachloride
Glycerine suppository Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Gentian Violet
Clyceryl Trinitrate Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Glutaraldehyde
Glycol Salicylate Gramicidin Griseofulvin Guaiphenesin	Glycerine suppository
Gramicidin Griseofulvin Guaiphenesin	Clyceryl Trinitrate
Griseofulvin Guaiphenesin	Glycol Salicylate
Guaiphenesin	Gramicidin
	Griseofulvin
Haloprogin	Guaiphenesin
	Haloprogin

Hexamine Hippurate
Hexamine Mandelate
Hexylincotinate
Hyaluronidase
Hydrargaphen
Hydrochloric acid
Hydrocyanic acid
Hydrogen peroxide
Hydroxocobalamin
Hydroxychloroquine
Hydroxyprogesterone
Hyoscine
Hyoscine N-Butylbromide
Hyoscyamine
Ibuprofen
Ichthammol
Idoxuridine
Indanazoline
Inositol nicotinate
Insulins
Intrinsic factor
Iodine
Iodoform
Ipecacuanha
Ipomoea resin
Irrigation medicines
Isopropyl alcohol
Isopropyl myristate
Jalap resin
Kenalog in orabase
Lactulose
Levocabastine
Lobelia
Loperamide hydrochloride
Loratidine
Mandelic Acid

Mannityl hexanitrate
Mmebendazole
Mebhydrolin napadisylate
Meclozine
Menadiol Sodium disphophate
Mepyramine
Mercurochrone
Methdilazine
Methoxamine
Methoxy Phenamine
Methyl Nicotinate
Methyl Salicylate
Methyl Undecylenate
Methyl Blue
Miconazole
Minoxidil
Monoacetin
Monosulfiram
Mometasone furoate
Mupirocin
Mycostatin oral suspension
Naphazoline
Naproxen
Neomycin in topical preparations
Niclosamide
Nicorette Patches, chewing gum, nasal spray
Nicotine patches, gums
Nicotinic Acid
Nystatin
Nitrofurazone
Nitrous ether spirit
Noscapine
Nuxvomica
Octyl nitrite
Orciprenaline
Oxymetazoline hydrochloride

Paracetamol Paracotamol Paraformaldehyde Pentaeythritol Tetranitrate Pentagastrin Pentazocine hydrochloride/lactate Pepsin Phenazopyridine Hydrochloride Phenazopyridine Hydrochloride Phenol Phenol Phenol Phenolyphthalein Phenoyethanol Phenylephrine hydrochloride Pholcodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chloride Potassium Chloride Potassium Guaiacolsulphonate Potassium Jodate Potassium Iodide Potassium Iodide Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Propyl undecylenate	Pancretin
Paraformaldehyde Pentaeythritol Tetranitrate Pentagastrin Pentagastrin Pentagovindine hydrochloride/lactate Pepsin Phenazopyridine Hydrochloride Pheniamine Phenol Phenolphthalein Phenolyethanol Phenylephrine hydrochloride Photodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polassium Carbonate Potassium Chloride Potassium Chloride Potassium Guaiacolsulphonate Potassium Iodiate Potassium Iodiate Potassium Iodide Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Prophyl undecylenate	Papverine
Pentaeythritol Tetranitrate Pentagastrin Pentazocine hydrochloride/lactate Pepsin Phenazopyridine Hydrochloride Pheniamine Phenol Phenol Phenolphthalein Phenolyethanol Pholodine Pholodine Phytomenadione Picric Acid Polayethanol Polayethanol Pheytomenadione Picric Acid Polayethanol Polayethanol Polytomenadione Polytomenadione Polytomenadione Polytomenadione Polytomenadione Polaysium Extracts Polophyllum Extracts Polassium Carbonate Potassium Chlorate Potassium Chlorate Potassium Guaiacolsulphonate Potassium Guaiacolsulphonate Potassium Iodate Potassium Iodide Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Primaquine Probenecid <td< td=""><td>Paracetamol</td></td<>	Paracetamol
Pentagastrin Pentazocine hydrochloride/lactate Pepsin Phenazopyridine Hydrochloride Phenazopyridine Hydrochloride Phenol Phenol Phenolphthalein Phenoyethanol Phenylephrine hydrochloride Pholcodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chloride Potassium Guaiacolsulphonate Potassium Iodate Potassium Iodate Potassium Iodate Potassium Iodate Potassium Iodate Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Promethazine Propyl undecylenate	Paraformaldehyde
Pentazocine hydrochloride/lactate Pepsin Phenazopyridine Hydrochloride Pheniamine Phenol Phenol Phenolphthalein Phenoyethanol Phenylephrine hydrochloride Pholcodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chloride Potassium Guaiacolsulphonate Potassium Iodate Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Promethazine Promethazine	Pentaeythritol Tetranitrate
Pepsin Phenazopyridine Hydrochloride Pheniramine Phenol Phenol Phenolphthalein Phenoxyethanol Phenylephrine hydrochloride Pholcodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chloride Potassium Clitrate Potassium Guaiacolsulphonate Potassium Iodate Potassium Iodate Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Promethazine Promethazine Propyl undecylenate	Pentagastrin
Phenazopyridine HydrochloridePheniraminePhenolPhenolPhenolphthaleinPhenoxyethanolPhenylephrine hydrochloridePholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloridePotassium ChloridePotassium GuaiacolsulphonatePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePrimaquinePromethazinePropyl undecylenate	Pentazocine hydrochloride/lactate
Pheniramine Phenol Phenolphthalein Phenoxyethanol Phenylephrine hydrochloride Phenylephrine hydrochloride Pholcodine Phytomenadione Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chlorate Potassium Chlorate Potassium Guaiacolsulphonate Potassium Iodate Potassium Iodate Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Promethazine Propyl undecylenate	Pepsin
PhenolPhenolphthaleinPhenoxyethanolPhenoxyethanolPhenoxyethanolPhenylephrine hydrochloridePholcodinePholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium GuaiacolsulphonatePotassium IodatePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Phenazopyridine Hydrochloride
PhenolphthaleinPhenoxyethanolPhenoxyethanolPhenylephrine hydrochloridePholcodinePholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloratePotassium GuaiacolsulphonatePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquinePromethazinePropyl undecylenate	Pheniramine
PhenoxyethanolPhenylephrine hydrochloridePholcodinePholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ClitratePotassium GuaiacolsulphonatePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePrimaquinePromethazinePropyl undecylenate	Phenol
Phenylephrine hydrochloridePholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium GuaiacolsulphonatePotassium IodatePotassium IodidePotassium NitritePotassium NitritePotassium PermanganateProvidone iodinePrimaquinePromethazinePropyl undecylenate	Phenolphthalein
PholcodinePhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium GuaiacolsulphonatePotassium IodatePotassium IodidePotassium NitritePotassium NitritePotassium PermanganateProvidone iodinePromethazinePropyl undecylenate	Phenoxyethanol
PhytomenadionePicric AcidPiperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium GuaiacolsulphonatePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePromethazinePropyl undecylenate	Phenylephrine hydrochloride
Picric Acid Piperonyl Butoxide Podophyllum Extracts Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chlorate Potassium Chloride Potassium Chloride Potassium Guaiacolsulphonate Potassium Guaiacolsulphonate Potassium Iodate Potassium Iodate Potassium Iodide Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Promethazine Propyl undecylenate	Pholcodine
Piperonyl ButoxidePodophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium CitratePotassium GuaiacolsulphonatePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePrimaquinePromethazinePropyl undecylenate	Phytomenadione
Podophyllum ExtractsPolymycin and its salt in topical formulationPotassium CarbonatePotassium ChloratePotassium ChloridePotassium CitratePotassium GuaiacolsulphonatePotassium IndutePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Picric Acid
Polymycin and its salt in topical formulation Potassium Carbonate Potassium Chlorate Potassium Chloride Potassium Citrate Potassium Guaiacolsulphonate Potassium Guaiacolsulphonate Potassium Ivdroxide Potassium Iodate Potassium Iodide Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Propyl undecylenate	Piperonyl Butoxide
Potassium CarbonatePotassium ChloratePotassium ChloridePotassium CitratePotassium GuaiacolsulphonatePotassium HydroxidePotassium IodatePotassium IodatePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Podophyllum Extracts
Potassium Chlorate Potassium Chloride Potassium Citrate Potassium Guaiacolsulphonate Potassium Guaiacolsulphonate Potassium Ivdate Potassium Iodate Potassium Iodide Potassium Nitrite Potassium Permanganate Providone iodine Probenecid Probenecid Promethazine Propyl undecylenate	Polymycin and its salt in topical formulation
Potassium ChloridePotassium CitratePotassium GuaiacolsulphonatePotassium HydroxidePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Carbonate
Potassium CitratePotassium GuaiacolsulphonatePotassium GuaiacolsulphonatePotassium HydroxidePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Chlorate
Potassium GuaiacolsulphonatePotassium HydroxidePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Chloride
Potassium HydroxidePotassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Citrate
Potassium IodatePotassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Guaiacolsulphonate
Potassium IodidePotassium NitritePotassium PermanganateProvidone iodinePrimaquineProbenecidPromethazinePropyl undecylenate	Potassium Hydroxide
Potassium Nitrite Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Propyl undecylenate	Potassium Iodate
Potassium Permanganate Providone iodine Primaquine Probenecid Promethazine Propyl undecylenate	Potassium Iodide
Providone iodine Primaquine Probenecid Promethazine Propyl undecylenate	Potassium Nitrite
Primaquine Probenecid Promethazine Propyl undecylenate	Potassium Permanganate
Probenecid Promethazine Propyl undecylenate	Providone iodine
Promethazine Propyl undecylenate	Primaquine
Propyl undecylenate	Probenecid
	Promethazine
Propylene Glycol	Propyl undecylenate
	Propylene Glycol

Propylhexedrine
Propylphenazone
Proquanil
Pseudoephedrine
Pumilio pine oil
Pyrantel
Pyrantel pamoate
Pyrethrins
Pyrimethamine
Quarternary ammonium compounds
Quassia
Quinine
Ranitidine
Retinol
Ribonuclease
Rimiterol hydrobromide
Salbutamol
Salicylamide
Salicylic acid
Scilarin
Scopolamine
Selenium sulphide
Senega
Silver and its salts
Silver protein
Silver sulphadiazine
Sodium benzoate
Sodium bicardonate
Sodium bitartrate
Sodium citrate
Sodium fluoride
Sodium hyaluronate
Sodium hydroxide
Sodium Iodide
Sodium nitrite
Sodium perborate

Sodium salicylate
Sodium sulphide
Solanaceous alkaloids
Sorbide
Squill
Stannous chloride
Stannous oxide
Stramonium strontium chloride
Sucralfate
Sulconazole nitrate
Sulphurate potash
Tannic acid
Tar
Terebene
Terbinafine
Terfenadine
Terpin hydrate
Tetra chloroethylene
Tetrahydrozoline
Theobromine
Theophylline
Theophylline and its salts in solid does forms
Thiabendazole
Thiaminoheptane Sulphate
Thiomersal
Thioxolone
Thurfyl salicylate
Timolol and its salts
Tioconazole
Toinaftate
Tramazoline
Triamcinolone
Tretinoin
Trichloroacetic acid
Triclosan
Tripotassium dicitratobismuthate

Tripolidine
Trypsin
Tulobuterol
Tyloxapol
Undecenoic acid
Viprynium embonate
Vitamin A
Vitamin D
Xylometazoline
Zinc chloride
Zinc oxide
Zinc salts
Formulation of hormones marketed as contraceptives pills or tablets in 21 or 28 day.

SCHEDULE 5 – . OVER THE COUNTER MEDICINES.

Act. Sec. 8
Reg. Sec. 50
Accomin adult mixture
Accomin capsules
ACI gel
Acidophilus bioglan
Acnederm ointment or wash
Adsorbed activated charcoal tablets
Affinity condoms
Aiken medicated powder
Albalon – A Liquifilm
Albalon 8 HR
Albalon relief
Alcon preserved saline
Allergen preserved saline
Aloe vera juice
Alphosyl cream or lotion
Alphosyl shampoo with conditioner
Ammens powder
Amonsan mouthwash sachets
Antassa herbal liquid antacid
Aosept
Alpha keri tar bath oil
Applicaine gel or liquid
Aquacare HP cream
Aquaear solution
Aquasun cream or gel or lotion
Quatite earplugs
Aqueous cream
Asorbic acid
Ascoxal
Awesome heavy gainer chocolate
B and L eye multipurpose solution
Bausch and lomb protein removal tablets

Berroca effervescent vitamin B tablets Berroca super B energy Berroca super B stress Billy Boy Bioglan amino acid complex capsules Bioglan ascorbic acid powder Bioglan ascorbic acid powder Bioglan ascorbic acid powder Bioglan acorbic acid powder Bioglan ascorbic acid powder Bioglan ascorbic acid powder Bioglan acorbic acid powder Bioglan acorbic acid powder Bioglan ascorbic acid powder Bioglan ascorbic acid powder Bioglan acorbic acid powder Bioglan ascorbic acid powder Bioglan ascorbic acid powder Bioglan cal C tablets Bioglan Cal C tablets Bioglan neo stress form Bioglan panazyme tablets Bioglan pyridoxine Bioglan Vitamin B complex anti-stress Bioglan ZNA-C formula Bk bath oil or lotion Bonjela Boningtons irish moss Booton advance conditional solution Brevoxyl Brolene eye drops or ointment Brycreem-regular red Calcium Lactate Calcium Lactate Cal	BCM vitamin liquid
Berroca super B energyBerroca super B stressBilly BoyBioglan amino acid complex capsulesBioglan ascorbic acid powderBioglan ascorbic acid powderBioglan betacaroteneBioglan C al C powderBioglan C al C tabletsBioglan C al C tabletsBioglan natural E capletsBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Zinc chelateBioglan ZNA-C formulaBk bath oil or lotionBoningtons irish mossBoston advance conditional solutionBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCalrateCaltrateCaltrateCalvitaClearsil skin ton medicated	Berroca effervescent tablets
Berroca super B stressBilly BoyBioglan amino acid complex capsulesBioglan ascorbic acid powderBioglan ascorbic acid powderBioglan betacaroteneBioglan Cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan natural E capletsBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan Zinc chelateBioglan ZNA-C formulaBk bath oil or lotionBonningtons irish mossBoston advance conditional solutionBrycreem-regular redCalcium compoundCalcium LactateCalcium LactateCalrateCaltrateCalvitaCalvitaClearsil skin ton medicated	Berroca effervescent vitamin B tablets
Billy BoyBioglan amino acid complex capsulesBioglan ascorbic acid powderBioglan ascorbic acid powderBioglan betacaroteneBioglan cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Zinc chelateBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCalrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Berroca super B energy
Bioglan amino acid complex capsulesBioglan ascorbic acid powderBioglan betacaroteneBioglan cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCalrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Berroca super B stress
Bioglan ascorbic acid powderBioglan ascorbic acid powderBioglan cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan lysine tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Zinc chelateBioglan Zinc chelateBioglan Zinc chelateBoningtons irish mossBoston advance conditional solutionBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Billy Boy
Bioglan betacaroteneBioglan cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan Cal C tabletsBioglan lysine tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-regular redCalcium compoundCalcium LactateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan amino acid complex capsules
Bioglan cal C powderBioglan Cal C tabletsBioglan Cal C tabletsBioglan lysine tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-regular redCalcium compoundCalcium LactateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan ascorbic acid powder
Bioglan Cal C tabletsBioglan lysine tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan betacarotene
Bioglan lysine tabletsBioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBoston advance conditional solutionBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan cal C powder
Bioglan natural E capletsBioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBoston advance conditional solutionBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCaltrateCaltrateCaltrateCaltrateCalvitaCalvi	Bioglan Cal C tablets
Bioglan neo stress formBioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-regular redCalcium compoundCalcium LactateCaltrateCaltrateCaltrateCaltrateCalvitaCalvitaClearsil skin ton medicated	Bioglan lysine tablets
Bioglan panazyme tabletsBioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCalsupCaltrateCaltrateCaltrateCalvitaCalvitaClearsil skin ton medicated	Bioglan natural E caplets
Bioglan pyridoxineBioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCalsupCaltrateCaltrateCaltrateCalvitaCalvitaCalvitaCalvitaColearsil skin ton medicated	Bioglan neo stress form
Bioglan Vitamin B complexBioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan Zinc chelateBioglan ZNA-C formulaBk bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCalsupCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan panazyme tablets
Bioglan Vitamin B complex anti-stressBioglan Zinc chelateBioglan ZNA-C formulaBk bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium LactateCal-supCaltrate and Vitamin D tabletsCalvitaCalvitaClearsil skin ton medicated	Bioglan pyridoxine
Bioglan Zinc chelateBioglan ZNA-C formulaBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCalsupCaltrate and Vitamin D tabletsCalvitaCalvitaCalvitaCalvita	Bioglan Vitamin B complex
Bioglan ZNA-C formula BK bath oil or lotion Bonjela Bonningtons irish moss Boston advance conditional solution Brevoxyl Brolene eye drops or ointment Brycreem-anti-drandruff blue Brycreem-regular red Calcium compound Calcium Lactate Calsup Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Bioglan Vitamin B complex anti-stress
BKBK bath oil or lotionBonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan Zinc chelate
BonjelaBonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bioglan ZNA-C formula
Bonningtons irish mossBoston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	BK bath oil or lotion
Boston advance conditional solutionBrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bonjela
BrevoxylBrolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Bonningtons irish moss
Brolene eye drops or ointmentBrycreem-anti-drandruff blueBrycreem-regular redCalcium compoundCalcium LactateCal-supCaltrateCaltrateCaltrate and Vitamin D tabletsCalvitaClearsil skin ton medicated	Boston advance conditional solution
Brycreem-anti-drandruff blue Brycreem-regular red Calcium compound Calcium Lactate Cal-sup Caltrate Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Brevoxyl
Brycreem-regular red Calcium compound Calcium Lactate Cal-sup Caltrate Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Brolene eye drops or ointment
Calcium compound Calcium Lactate Cal-sup Caltrate Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Brycreem-anti-drandruff blue
Calcium Lactate Cal-sup Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Brycreem-regular red
Cal-sup Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Calcium compound
Caltrate Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Calcium Lactate
Caltrate and Vitamin D tablets Calvita Clearsil skin ton medicated	Cal-sup
Calvita Clearsil skin ton medicated	Caltrate
Clearsil skin ton medicated	Caltrate and Vitamin D tablets
	Calvita
Cellufresh	Clearsil skin ton medicated
	Cellufresh

Cellfresh eye drop
Cellvisc
Centrum multi vitamin capsules
Cepacaine oral solution
Cepacol anaesthetic discs
Cepacol cough
Cepacol eucalypt or methol lozenges
Cepacol lozenges regular
Cepacol solution
Citravescent sachets
Citravite
Clean-N-soak
Clear eyes
Clearsil facewash
Clearsil tinted cream
Clearsil ultracream
Clearsil vanish cream
Clearsil vanish medicated
Clements iron
Clements tonic red
Clove oil
Complan
Complete all in one
Condyline paint
Contac
Cream E45
Curash family powder medicated
Dangard
De gas capsules
De-lact infant
Deep heat rub
Deep heal sports spray
Degest
Dencorub
Dencorub arthritis cream
Dencorub x strength gel

Dequacaine
Dequadin lozenges
Derbac-M
Derm freeze
Dermalife
Dermalife plus
Dermatech liquid
Dermazole
Dermocaine gel
Dettol
Dettol antibacterial liquid cream
Dettol antibacterial liquid wash
Dettol antiseptic gel
Dettol antiseptic liquid
Dettol fresh
Dewitts antacid powder
Dewitts pills
Dexsal lemon flavour
Dexsal regular
Dia-check tablets
Diasalt orange flavour
Duraclean
Duratears
Ear plug surgi pack
Ear plug antinoise
Efamol
Efamol marine
Effacscent oil
Ego acnederm ointment
Ego egocappol
Ego hair or science shampoo normal
Ego hair or science shampoo oily
Ego pinetarsol
Ego Q.V. bath oil or cream or wash
Ego sebi-rinse conditioner

Ego sebborol lotionEgo sunsenseEgo sunsensitiveElizabeth arden sunsense SPF 15ElmetacinEnfalacEnfamilkEno lemoEno regularEno sachets lemonEno sachets regularEnsureEnucleneEpogamEqual sachetsEqual sachetsEskinol ClearEskinol facial washEskinol facial washEskinol lemonEucerin ointmentEversunEye streamFarexFinalgon creamFongitarForgitarForgitarForgitarForgitarForgitarForgitarForgitarForgitarForgitarForgitarFungizidFybogel orange sachets	Ego sebitar
Ego sunsensitiveElizabeth arden sunsense SPF 15ElmetacinEnfalacEnfamilkEno lemoEno regularEno sachets lemonEn sachets regularEnsureEnucleneEpogamEqual sachetsEqual sweeteners tabletsEskinol ClearEskinol facial washEskinol lemonEucelpytus oilE8calyptus rubEucerin ointmentEversunEye streamFarexFinalgon creamFongitarFortisepFungizid	Ego sebborol lotion
Elizabeth arden sunsense SPF 15 Elmetacin Enfalac Enfalac Enfalac Eno emo Eno regular Eno sachets lemon Eno sachets regular Ensure Enuclene Epogam Epogam Epon salts sachet Equal sachets Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol Clear Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Ego sunsense
Elmetacin Enfalac Enfamilk Eno lemo Eno regular Eno regular Eno sachets lemon Eno sachets regular Ensure Enuclene Epogam Epon salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil Escalyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Ego sunsensitive
EnfalacEnfamilkEno lemoEno regularEno sachets lemonEno sachets regularEnsureEnucleneEpogamEqual sachetsEqual sachetsEqual sweeteners tabletsEskinol ClearEskinol facial washEskinol facial wipesEskinol lemonEucalyptus oilEscalyptus rubEversunEye streamFarexFinalgon creamFongitarFortisepFungizid	Elizabeth arden sunsense SPF 15
Enfamilk Eno lemo Eno regular Eno sachets lemon Eno sachets regular Eno sachets regular Ensure Enuclene Epogam Epogam Eposon salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucealyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Elmetacin
Eno regular Eno regular Eno sachets lemon Eno sachets regular Ensure Enuclene Epogam Epson salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fortisep Fungizid	Enfalac
Eno regular Eno sachets lemon Eno sachets regular Ensure Enuclene Epogam Epogam Equal sachets Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil Escalyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fongitar	Enfamilk
Eno sachets lemon Eno sachets regular Ensure Enuclene Epogam Epson salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol demaclear C soap Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil Escalyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eno lemo
Eno sachets regular Ensure Ensure Epogam Epogam Epson salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol demaclear C soap Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil Escalyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eno regular
Ensure Enuclene Epogam Epson salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol demaclear C soap Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eno sachets lemon
Enuclene Epogam Epogam Epogam Epson salts sachet Equal sachets Equal sweeteners tablets Eskinol Clear Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eno sachets regular
EpogamEpson salts sachetEqual sachetsEqual sweeteners tabletsEskinol ClearEskinol demaclear C soapEskinol facial washEskinol facial wipesEskinol lemonEucalyptus oilE8calyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFinalgon creamForgitarForgitarFungizid	Ensure
Epson salts sachetEqual sachetsEqual sweeteners tabletsEskinol ClearEskinol demaclear C soapEskinol facial washEskinol facial wipesEskinol lemonEucalyptus oilE8calyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamFortisepFungizid	Enuclene
Equal sachetsEqual sweeteners tabletsEskinol ClearEskinol demaclear C soapEskinol facial washEskinol facial wipesEskinol lemonEucalyptus oilE8calyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamFortisepFungizid	Epogam
Equal sweeteners tabletsEskinol ClearEskinol demaclear C soapEskinol facial washEskinol facial wipesEskinol lemonEucalyptus oilE8calyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamForgitarForgitarFungizid	Epson salts sachet
Eskinol Clear Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Forgitar Fortisep Fungizid	Equal sachets
Eskinol demaclear C soap Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Equal sweeteners tablets
Eskinol facial wash Eskinol facial wipes Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eskinol Clear
Eskinol facial wipesEskinol lemonEucalyptus oilEacalyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamForgitarFortisepFungizid	Eskinol demaclear C soap
Eskinol lemon Eucalyptus oil E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eskinol facial wash
Eucalyptus oilE8calyptus rubEucerin ointmentEvening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamFongitarFortisepFungizid	Eskinol facial wipes
E8calyptus rub Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eskinol lemon
Eucerin ointment Evening primrose oil capsules Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Forgitar Fortisep Fungizid	Eucalyptus oil
Evening primrose oil capsulesEversunEye streamFarexFibyrax-extra tabletsFinalgon creamFongitarFortisepFungizid	E8calyptus rub
Eversun Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eucerin ointment
Eye stream Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Evening primrose oil capsules
Farex Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eversun
Fibyrax-extra tablets Finalgon cream Fongitar Fortisep Fungizid	Eye stream
Finalgon cream Fongitar Fortisep Fungizid	Farex
Fongitar Fortisep Fungizid	Fibyrax-extra tablets
Fortisep Fungizid	Finalgon cream
Fungizid	Fongitar
	Fortisep
Fybogel orange sachets	Fungizid
	Fybogel orange sachets

Gastrolyte powder or tablet or sachet Gelusil tablets Gelusil butterscotch Gelusil liquid antacid Gilseal clove oil Glad B effervescent tablets Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross calcium and iron Gold cross col liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal stress Gold cross herbal stress Gold cross neseradish and garlic Gold cross maxepa Gold cross vitamin E Gold cross vitamin E Gold cross vitamin E Gold cross womens multivitamin Granocol
Gelusil butterscotch Gelusil liquid antacid Gilseal clove oil Gala B effervescent tablets Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross col liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal stress Gold cross norseradish and garlic Gold cross witamin Gold cross witamin
Gelusil liquid antacid Gilseal clove oil Glad B effervescent tablets Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal stress Gold cross herbal stress Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Gilseal clove oil Glad B effervescent tablets Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross clium and iron Gold cross children multivitamin Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal stress Gold cross maxepa Gold cross multivitamin Gold cross nultivitamin
Glad B effervescent tablets Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Glucodin tablets Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross calcium and iron Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal stress Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross vitamin E Gold cross vitamin E Gold cross womens multivitamin
Goanna heat cream Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross B complex Gold cross C tablets orange Gold cross C tablets orange Gold cross calcium and iron Gold cross calcium and iron Gold cross children multivitamin Gold cross col liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal insomnia Gold cross herbal insomnia Gold cross herbal stress Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Goanna oil liniment Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross calcium and iron Gold cross children multivitamin Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal insomnia Gold cross herbal insomnia Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Goanna salve ointment Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross C tablets orange Gold cross calcium and iron Gold cross children multivitamin Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal cold and flu Gold cross herbal insomnia Gold cross herbal PMS Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross antioxidant Gold cross B complex Gold cross C tablets orange Gold cross calcium and iron Gold cross calcium and iron Gold cross children multivitamin Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal cold and flu Gold cross herbal insomnia Gold cross herbal stress Gold cross herbal stress Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Gold cross B complexGold cross C tablets orangeGold cross C tablets orangeGold cross calcium and ironGold cross calcium and ironGold cross children multivitaminGold cross cod liver oilGold cross herbal arthritisGold cross herbal arthritisGold cross herbal cold and fluGold cross herbal insomniaGold cross herbal stressGold cross herbal stressGold cross maxepaGold cross vitamin EGold cross womens multivitamin
Gold cross C tablets orangeGold cross calcium and ironGold cross children multivitaminGold cross cod liver oilGold cross cod liver oilGold cross herbal arthritisGold cross herbal cold and fluGold cross herbal insomniaGold cross herbal PMSGold cross horseradish and garlicGold cross maxepaGold cross vitamin EGold cross womens multivitamin
Gold cross calcium and iron Gold cross children multivitamin Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal arthritis Gold cross herbal cold and flu Gold cross herbal insomnia Gold cross herbal stress Gold cross herbal stress Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Gold cross children multivitamin Gold cross cod liver oil Gold cross herbal arthritis Gold cross herbal cold and flu Gold cross herbal insomnia Gold cross herbal PMS Gold cross herbal stress Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Gold cross cod liver oilGold cross herbal arthritisGold cross herbal cold and fluGold cross herbal insomniaGold cross herbal insomniaGold cross herbal PMSGold cross herbal stressGold cross horseradish and garlicGold cross maxepaGold cross vitamin EGold cross womens multivitamin
Gold cross herbal arthritisGold cross herbal cold and fluGold cross herbal insomniaGold cross herbal PMSGold cross herbal stressGold cross horseradish and garlicGold cross maxepaGold cross vitaminGold cross vitamin EGold cross womens multivitamin
Gold cross herbal cold and flu Gold cross herbal insomnia Gold cross herbal PMS Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross vitamin E Gold cross womens multivitamin
Gold cross herbal insomnia Gold cross herbal PMS Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross herbal PMS Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross herbal stress Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross horseradish and garlic Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross maxepa Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross multivitamin Gold cross vitamin E Gold cross womens multivitamin
Gold cross vitamin E Gold cross womens multivitamin
Gold cross womens multivitamin
Franceol
Hairscience conditioner or shampoo
Haliborange
Hamilton bath oil
Hardy's indigestion powder
Heatheries chelated zinc tablets
Heatheries vitamin A, B, D and E tablets
Hepasol vitamin tonic
Herbal insomnia

Hibitane obstetric creamHidrosolHoldtite powderHydrocare preserved solutionHydrodermHypol emulsionIchthammol ointmentImportalInfacolInfasoyIonil plainIonil scalp cleanerIonil T shampooIsogelIsomilKaricare follow on milk foodMaricare goat milk follow onKaricare soya infant formulaKaricare soya infant formulaKarore soya infant formulaKarore soya infant formulaKarone solutionKaruse soja infant formulaKaruse soja infant formula<	Hermasetas tablets
Holdtite powderHydrocare preserved solutionHydrodermHypol emulsionIchthammol ointmentImportalInfacolInfacolInfasoyIonil plainIonil scalp cleanerIonil T shampooIsogelIsomilKaricare follow on milk foodKaricare goat milk follow onKaricare soya infant formulaKaricare soya infant formulaKarol capsulesKonsylKonsyl orangeKruschen saltsKwellsKy jellyLac-hydrinLacolamineLanoline ointmentLanoline ointmentLanoline ointmentLanosil ointmentLanosil ointmentLanosil ointmentLanosil ointmentLanosi ointmentLacosi ointmentLacosi ointmentLacosi ointmentLanosin ointmentLanosi ointmentLacosi ointmentLacosi ointmentLacosi ointmentLanosi ointmentLacosi ointmentLacosi ointmentLacosi ointmentLacosi ointmentLanosi ointmentLacosi ointmentLanosi ointment <td< td=""><td>Hibitane obstetric cream</td></td<>	Hibitane obstetric cream
Hydrocare preserved solutionHydrodermHypol emulsionIchthammol ointmentImportalInfacolInfacolInfasoyIonil plainIonil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKaricare follow on milk foodKaricare goat milk follow onKaricare goat milk follow onKaricare soya infant formulaKarol capsulesKonsylKonsyl orangeKruschen saltsKy jellyLac-hydrinLac-hydrinLanoline ointmentLanosil ointmentLanosil ointmentLanosil ointmentLanosil ointmentLarona on the solution ontment	Hidrosol
HydrodermHypol emulsionIchthammol ointmentImportalInfacolInfacolInfasoyIonil plainIonil scalp cleanerIonil T shampooIsogelIsomilKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk nfant formulaKaricare soya infant formulaKarol capsulesKonsylKuruschen saltsKwellsKy jellyLac-hydrinLacolamineLanoline ointmentLanosil oi	Holdtite powder
Hypol emulsionIchthammol ointmentImportalInfacolInfacolInfasoyIonil plainIonil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare soya infant formulaKarol capsulesKonsylKuruschen saltsKwellsKy jellyLac-hydrinLacrilubeLanoline ointmentLanosil ointmentLanosil ointmentLanosil ointmentLacosil ointm	Hydrocare preserved solution
Ichthammol ointmentImportalInfacolInfacolInfasoyIonil plainIonil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare soya infant formulaKarol capsulesKonsylKuschen saltsKwellsKy jellyLac-hydrinLacrilubeLanoline ointmentLanosil ointmentLanosil ointmentLC 65	Hydroderm
ImportalInfacolInfacolInfasoyIonil plainIonil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare soya infant formulaKarool capsulesKonsylKuschen saltsKwellsKy jellyLac-hydrinLacrilubeLanosil ointmentLanosil ointmentLanosil ointment	Hypol emulsion
Infacol Infasoy Ionil plain Ionil rinse Ionil scalp cleaner Ionil T shampoo Isogel Isomil Kamilosan Karicare follow on milk food Maricare goat milk follow on Karicare goat milk follow on Karicare goat milk follow on Karicare goat milk infant formula Karicare goat milk infant formula Karol capsules Konsyl Konsyl Konsyl orange Konsyl orange Kinschen salts Kwells Kwells Kiy jelly Lac-hydrin Lacrilube Lacto-calamine Lanosil ointment Lanosil ointment	Ichthammol ointment
Infasy Ionil plain Ionil rinse Ionil scalp cleaner Ionil T shampoo Isogel Isogel Isomil Kamilosan Karicare follow on milk food Maricare goat milk follow on Karicare goat milk follow on Karicare goat milk follow on Karicare goat milk nfant formula Karicare soya infant formula Karol capsules Konsyl Konsyl orange Konsyl orange Kvells Kvells Kvells Kvells Lac-hydrin Lac-hydrin Lacrilube Lacto-calamine Lanoline ointment Lanosil ointment	Importal
Ionil plainIonil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKY jellyLac-hydrinLacrilubeLanoline ointmentLanosil ointmentLC 65	Infacol
Ionil rinseIonil scalp cleanerIonil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare soya infant formulaKarvol capsulesKonsylKonsylKonsyl orangeKvuschen saltsKwellsKy jellyLac-hydrinLacto-calamineLanoline ointmentLanosil ointmentLanosil ointment	Infasoy
Ionil scalp cleanerIonil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKvellsLac-hydrinLacto-calamineLanoline ointmentLanosil ointmentLanosil ointment	Ionil plain
Ionil T shampooIsogelIsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKY jellyLac-hydrinLacto-calamineLanoline ointmentLanosil ointmentLC 65	Ionil rinse
Isogel Isomil Kamilosan Karicare follow on milk food Maricare goat milk follow on Karicare goat milk follow on Karicare goat milk infant formula Karicare goat milk infant formula Karicare soya infant formula Karvol capsules Karvol capsules Konsyl Konsyl orange Kruschen salts Kvells Kvells Kvells KY jelly Lac-hydrin Lacrilube Lacto-calamine Lanoline ointment Lanosil ointment	Ionil scalp cleaner
IsomilKamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKY jellyLac-hydrinLacto-calamineLanoline ointmentLanosil ointmentLC 65	Ionil T shampoo
KamilosanKaricare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKY jellyLac-hydrinLacrilubeLanoline ointmentLanosil ointmentLC 65	Isogel
Karicare follow on milk foodMaricare goat milk follow onKaricare goat milk follow onKaricare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Isomil
Maricare goat milk follow onKaricare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Kamilosan
Karicare goat milk follow onKaricare goat milk infant formulaKaricare soya infant formulaKarol capsulesKonsylKonsyl orangeKruschen saltsKwellsLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Karicare follow on milk food
Karicare goat milk infant formulaKaricare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKY jellyLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Maricare goat milk follow on
Karicare soya infant formulaKarvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKy jellyLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Karicare goat milk follow on
Karvol capsulesKonsylKonsyl orangeKruschen saltsKwellsKy jellyLac-hydrinLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Karicare goat milk infant formula
KonsylKonsyl orangeKruschen saltsKwellsKwellsLac-hydrinLacrilubeLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Karicare soya infant formula
Konsyl orange Kruschen salts Kwells KY jelly Lac-hydrin Lacrilube Lacto-calamine Lacto-calamine Lanoline ointment Lanosil ointment	Karvol capsules
Kruschen saltsKwellsKY jellyLac-hydrinLacrilubeLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Konsyl
KwellsKY jellyLac-hydrinLacrilubeLacrilubeLacto-calamineLanoline ointmentLanosil ointmentLC 65	Konsyl orange
KY jelly Lac-hydrin Lacrilube Lacto-calamine Lanoline ointment Lanosil ointment LC 65	Kruschen salts
Lac-hydrin Lacrilube Lacto-calamine Lanoline ointment Lanosil ointment LC 65	Kwells
Lacrilube Lacto-calamine Lanoline ointment Lanosil ointment LC 65	KY jelly
Lacto-calamine Lanoline ointment Lanosil ointment LC 65	Lac-hydrin
Lanoline ointment Lanosil ointment LC 65	Lacrilube
Lanosil ointment LC 65	Lacto-calamine
LC 65	Lanoline ointment
	Lanosil ointment
Lecithin capsules	LC 65
	Lecithin capsules

Lemsip analgesic sachets
Lemsip flu sachets
Lemsip throat lozenges orange
Lenactin
Lens plus
Lid-care
Lifestyle
Liniment methyl salicylate
Lipobase
Liquifilm forte
Liquifilm wetting solution
Listermint crystal fresh
Listermint moutwash
Lobobo
Luborant
Lucozade
Macro antistress capsules
Macro C + garlic or zinc capsules
Macro garlic capsules
Macro M multivitamin capsules
Macro maxepa capsules
Macro multivitamin and minerals
Medic aerosol spray
Medicated oil gold medal spray
Medicated oil regular green axe
Medicreme
Medi-pulv
Medislim weight control tablets
Metamucil orange or smooth
Metamucil original or regular
Methylsalicylate ointment
Metsal
Milton sterilizing solution
Milton sterilizing unit
Miraflow
Mozi free infant

Mucaine suspension
Mucilax
Murine eye drops
Mylanta II liquid
Mylanta II tablets
Mylanta plain
Mylanta plus
Mylicon drops
N/life assorted protein
N/life body bulk chocolate
N/life carbonplex
N/life mass low weight gainer vanilla
N/life mass muscle build chocolate
N/life mass weight gainer chocolate
N/life mass weight gainer vanilla
N/life super pro chocolate
N/way cozyme Q10 capsules
Natural vitamin E
Nature's way garlic and horsedish tablets
Nature's way vitamin C tablets
Naxen
Neat feat
Neat one
Neat one
Neo-deca eye or ear drops
Neutrogena
Neutrogena soap normal skin
Nilodor
Nizoral shampoo or cream
No doz tablets
No gas capsules
No odour spray
Nurture plus
Nutra plus
Oil of ulan moist cream
Oil of ulan protein renew cream

Olive oilOmnicare daily cleanerOptifree enzymatic cleanerOptifree multi actionOpti-plus active cleanerOpti-plus active cleanerOpti-soakOptrex eye lotionOptrex hayfever allergyOptres hayfever allergyOptrex hayfever allergyOptrex medicated eye dropsOptrex red eye reliefOral B paed dropsOral gel peppermintOral gel peppermintOral rehydration sachetsOrased jelOscalOtrivin antihistinOtrivin menthol sprayOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxy daily skin washOxy blion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePanoxyl AQ. 10Pantavite chewable tablets	Oilatum plus antibacterial bath
Optifree enzymatic cleanerOptifree multi actionOpti-plus active cleanerOpti-soakOptrex eye lotionOptrex hayfever allergyOptrex hayfever allergyOptrex nedicated eye dropsOptrex red eye dropsOptrex red eye dropsOral B paed dropsOral B paed dropsOral gel peppermintOral rehydration sachetsOra-sed jelOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy ally skin washOxy lotion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Olive oil
Optifree multi actionOpti-plus active cleanerOpti-soakOptrex eye lotionOptrex hayfever allergyOptres lotion small/largeOptrex medicated eye dropsOptrex red eye dropsOptrex red eye dropsOptrex red eye dropsOral B paed dropsOral B paed dropsOral gel peppermintOral rehydration sachetsOra-sed jelOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept ½Panoxyl AQ. 10Panage of the stafePanage of the stafePanage of the stafeOral soft whitePanoxyl AQ. 10Panage of the stafePanage of the stafeOutment	Omnicare daily cleaner
Opti-plus active cleanerOpti-soakOptrex eye lotionOptrex hayfever allergyOptrex hayfever allergyOptrex nedicated eye dropsOptrex red eye dropsOptrex red eye dropsOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOrased jelOscalOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxy lotion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optifree enzymatic cleaner
Opti-soakOptrex eye lotionOptrex hayfever allergyOptrex hayfever allergyOptrex nedicated eye dropsOptrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxylinOxylinOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optifree multi action
Optrex eye lotionOptrex hayfever allergyOptres lotion small/largeOptrex medicated eye dropsOptrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxy lotion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Opti-plus active cleaner
Optrex hayfever allergyOptres lotion small/largeOptrex medicated eye dropsOptrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxy lotion or cream or liquidOxylinOxysept ½Panoxyl AQ. 10Pawpaw ointment	Opti-soak
Optres lotion small/largeOptrex medicated eye dropsOptrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin nasal drops adultOxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optrex eye lotion
Optrex medicated eye dropsOptrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral life peppermintOral-sed jelOscalOscalOscal DOtrivin antihistinOtrivin nasal drops adultOxy 5 and 10Oxy antiseptic medicated skin washOxy lotion or cream or liquidOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optrex hayfever allergy
Optrex red eye dropsOptrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin nasal drops adultOxy 5 and 10Oxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optres lotion small/large
Optrex red eye reliefOral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy daily skin washOxy lotion or cream or liquidOxylinOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optrex medicated eye drops
Oral B paed dropsOral B tabletsOral gel peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optrex red eye drops
Oral B tabletsOral gel peppermintOral life peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept 1/2Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Optrex red eye relief
Oral gel peppermintOral life peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept 1/2Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Oral B paed drops
Oral life peppermintOral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Oral B tablets
Oral rehydration sachetsOra-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Pavpaw ointment	Oral gel peppermint
Ora-sed jelOscalOscal DOtrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Pawpaw ointment	Oral life peppermint
Oscal D Oscal D Otrivin antihistin Otrivin menthol spray Otrivin menthol spray Otrivin nasal drops adult Oxy 5 and 10 Oxy 5 or 10 vanishing Oxy antiseptic medicated skin wash Oxy daily skin wash Oxy lotion or cream or liquid Oxylin Oxysept 1s or lens solution Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oral rehydration sachets
Oscal D Otrivin antihistin Otrivin menthol spray Otrivin nasal drops adult Oxy 5 and 10 Oxy 5 or 10 vanishing Oxy antiseptic medicated skin wash Oxy daily skin wash Oxy daily skin wash Oxy lotion or cream or liquid Oxylin Oxysept 1s or lens solution Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Ora-sed jel
Otrivin antihistinOtrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Pawpaw ointment	Oscal
Otrivin menthol sprayOtrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Oscal D
Otrivin nasal drops adultOxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Otrivin antihistin
Oxy 5 and 10Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Otrivin menthol spray
Oxy 5 or 10 vanishingOxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Otrivin nasal drops adult
Oxy antiseptic medicated skin washOxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Oxy 5 and 10
Oxy daily skin washOxy lotion or cream or liquidOxylinOxysept 1s or lens solutionOxysept ½Panoxyl AQ. 10Paraffin soft whitePawpaw ointment	Oxy 5 or 10 vanishing
Oxy lotion or cream or liquid Oxylin Oxysept 1s or lens solution Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oxy antiseptic medicated skin wash
Oxylin Oxysept 1s or lens solution Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oxy daily skin wash
Oxysept 1s or lens solution Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oxy lotion or cream or liquid
Oxysept ½ Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oxylin
Panoxyl AQ. 10 Paraffin soft white Pawpaw ointment	Oxysept 1s or lens solution
Paraffin soft white Pawpaw ointment	Oxysept ¹ / ₂
Pawpaw ointment	Panoxyl AQ. 10
_	Paraffin soft white
Pentavite chewable tablets	Pawpaw ointment
	Pentavite chewable tablets

Pentavite infant drops
Pentavite syrup child
Phisophex
Phisophex face wash
Prickly heat powder
Pigeon nose cleaner
Pinetar
Pinetarsol
Pinetarsol bar
Pinetarsol bath oil
Pinetarsol gel
Pinetarsol shower spray
Pliagel
Pluravit and vitamin C
Pluravit capsules
Polident dentlu crème
Poly cal
Poly cleans II
Poly tar liquid
Poly tar plus
Poly tears
Poly tears free
Polycose
Polytar emollient
Polyzym
Ponoxylan gel
Power plus energy drink
Prantal powder
Prefrin Liquifilm
Prefin Z
Prosobee
Pryndette syrup
Psoriacreme
Psoriagel
Puritabs
Pyrantel suspension or tablets

Pyrisone tabletsQ.V. bath oilQ.V. creamQ.V. skin lotion or barQuick-eze antacid tabletsRapaid powder or spray or creamRedoxin orange effervescent tabletsRefresh eye dropsRendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSandocal effervescent tabletsSandocal effervescent tabletsSebarnolSebirnseSelsunSelsunSelsunSingma glucose liquidSilie 15 creamSimecoSimilacSMASoaclens	Pyrenel foam
Q.V. creamQ.V. skin lotion or barQuick-eze antacid tabletsRapaid powder or spray or creamRedoxin orange effervescent tabletsRefresh eye dropsRendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesSacharin tabletsSacharin tabletsSandocal effervescent tabletsSavlon cream or liquidSebar med shampooSebirinseSebirarSeborrolSensodyne toothpasteShark liver oilShieldSigma glucose liquidSilic 15 creamSinnilacSMA	Pyrisone tablets
Q.V. skin lotion or barQuick-eze antacid tabletsRapaid powder or spray or creamRedoxin orange effervescent tabletsRefresh eye dropsRendell plusRennei tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSebar med shampooSebirinseSeborrolSelsunSensodyne toothpasteShieldSigma glucose liquidSilic 15 creamSimecoSimilacSMA	Q.V. bath oil
Quick-eze antacid tabletsRapaid powder or spray or creamRedoxin orange effervescent tabletsRefresh eye dropsRendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSebar med shampooSebirinseSebirinseSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSM 33 liquid or gelSMA	Q.V. cream
Rapaid powder or spray or creamRedoxin orange effervescent tabletsRefresh eye dropsRendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSebar med shampooSebirinseSebirinseSebirolSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSMA	Q.V. skin lotion or bar
Redoxin orange effervescent tabletsRefresh eye dropsRendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSebar med shampooSebitarSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSilic 15 creamSimecoSMA	Quick-eze antacid tablets
Refresh eye drops Rendell plus Rennie tablets Rheumatism medicated oil Ribena Rikoderm bath oil or lotion Rosken skin repair Royal jelly capsules RV paque S26 progress Saccharin tablets Sandocal effervescent tablets Savlon cream or liquid Seba med shampoo Sebirinse Seborrol Selsun Shark liver oil Shield Sigma glucose liquid Sigma glucose liquid Simeco Similac SMA	Rapaid powder or spray or cream
Rendell plusRennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebitarSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSMA	Redoxin orange effervescent tablets
Rennie tabletsRheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebitrinseSebitrinseSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSMA	Refresh eye drops
Rheumatism medicated oilRibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebitrinseSebitrinseSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSM 33 liquid or gelSMA	Rendell plus
RibenaRikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebirinseSebirinseSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSM 33 liquid or gelSMA	Rennie tablets
Rikoderm bath oil or lotionRosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebirinseSebirinseSebirarSeborrolSelsunSensodyne toothpasteShieldSigma glucose liquidSilic 15 creamSimecoSimilacSMA	Rheumatism medicated oil
Rosken skin repairRoyal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebirinseSebirinseSebitarSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSilie 15 creamSimecoSimilacSMA	Ribena
Royal jelly capsulesRV paqueS26 progressSaccharin tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSebirinseSebirinseSebitarSeborrolSelsunSensodyne toothpasteShark liver oilShieldSigma glucose liquidSimecoSimilacSMA	Rikoderm bath oil or lotion
RV paque S26 progress Saccharin tablets Sandocal effervescent tablets Sandocal effervescent tablets Savlon cream or liquid Seba med shampoo Seba med shampoo Sebirinse Sebitar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Rosken skin repair
S26 progressSaccharin tabletsSandocal effervescent tabletsSandocal effervescent tabletsSavlon cream or liquidSeba med shampooSeba med shampooSebirinseSebirinseSebitarSeborrolSelsunSensodyne toothpasteShark liver oilSigma glucose liquidSilic 15 creamSimecoSimilacSM 33 liquid or gelSMA	Royal jelly capsules
Saccharin tablets Sandocal effervescent tablets Savlon cream or liquid Seba med shampoo Sebirinse Sebirinse Sebitar Seborrol Selsun Selsun Sensodyne toothpaste Shark liver oil Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Simelac Simalac	RV paque
Sandocal effervescent tablets Savlon cream or liquid Seba med shampoo Sebirinse Sebirar Sebitar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Similac SMA	S26 progress
Savlon cream or liquid Seba med shampoo Sebirinse Sebirar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Similac SMA	Saccharin tablets
Seba med shampoo Sebirinse Sebitar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Shield Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Sandocal effervescent tablets
Sebirinse Sebitar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Similac SM 33 liquid or gel	Savlon cream or liquid
Sebitar Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Similac SM 33 liquid or gel SMA	Seba med shampoo
Seborrol Selsun Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Simeco Similac SM 33 liquid or gel SMA	Sebirinse
Selsun Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Sebitar
Sensodyne toothpaste Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Seborrol
Shark liver oil Shield Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Selsun
ShieldSigma glucose liquidSilic 15 creamSimecoSimilacSM 33 liquid or gelSMA	Sensodyne toothpaste
Sigma glucose liquid Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Shark liver oil
Silic 15 cream Simeco Similac SM 33 liquid or gel SMA	Shield
Simeco Similac SM 33 liquid or gel SMA	Sigma glucose liquid
Similac SM 33 liquid or gel SMA	Silic 15 cream
SM 33 liquid or gel SMA	Simeco
SMA	Similac
	SM 33 liquid or gel
Soaclens	SMA
	Soaclens

Soft wear sterile saline
Softab
Softmate comfort
Softmate concept 1 and 2
Softmate saline
Soov bite or burn
Soov cream
Soov prickly heat powder
Sore throat gargle
Staminade powder lemon or lime
Star flower oil
Statavar tablets
Stingose spray
Stopm itch cream
Strepsils + vitamin C lozenges
Strepsils honey and lemon
Strepsils regular or menthol
Sucaryl tablet or liquid
Sugarless sweetener granules or sachets
Sulphenol
Sunsense
Superfade cream
Supradyn effervescent tablet
Sustagen hospital formula vanilla
Sustagen regular vanilla
Sustagen sport chocolate
Sustagen vanilla
Swedish bitter triad
Sweet almond oil
Sweetext
Tea tree oil ointment
Tear drops
Tears naturale
Temetsol soap
Tiger balm red/white
Total

Transvasin
Transoak
Transvasin
Ultrazyme protein remover
UV ultrablock
Valda
Vaseline jelly
Vendrol syrup
vi-daylin
Vita plus B
Vitadol C
Vitaglow lecithin capsules
Vitamin C tablets orange
Vitamin E cream
Vitaplex and iron Vitamin C tablets
Vitaplex celery seed
Vitaplex chelated zinc tablets
Vitaplex cod liver oil capsules
Vitaplex cod liver oil capsules
Vitaplex goodnight formula
Vitaplex iron chelate tablets
Vitaplex valerian tablets
Vitelle Vitamin B6 tablets
Wate on tablets
White flower embrocation
White flower fragrant
Witch hazel
Zinc cream
Zinc triple strength tablets

 ${\it Medicines\ and\ Cosmetics\ Regulation\ 2002}$